

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU080218\
 Data File : VU025797.D
 Acq On : 02 Aug 2018 17:12
 Operator : MD/SY
 Sample : VU0802WBL02
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK58

Quant Time: Aug 03 05:55:30 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 03 05:42:58 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	342695	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	321642	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	167747	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	93911	48.00	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	96.00%
7) Chloroethane-d5	1.68	69	74126	45.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.86%
11) 1,1-Dichloroethene-d2	2.27	63	149233	36.64	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.28%
21) 2-Butanone-d5	4.18	46	151538	100.33	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.33%
24) Chloroform-d	4.65	84	194472	44.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.26%
26) 1,2-Dichloroethane-d4	5.31	65	135676	47.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.16%
32) Benzene-d6	5.35	84	390747	47.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.74%
36) 1,2-Dichloropropane-d6	6.33	67	124788	46.95	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	93.90%
41) Toluene-d8	7.57	98	371128	46.91	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.82%
43) trans-1,3-Dichloropropene-	7.85	79	66554	49.02	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	98.04%
47) 2-Hexanone-d5	8.31	63	110944	99.68	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.68%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	167857	45.15	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	90.30%
64) 1,2-Dichlorobenzene-d4	11.86	152	156419	46.01	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.02%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU080218\
Data File : VU025797.D
Acq On : 02 Aug 2018 17:12
Operator : MD/SY
Sample : VU0802WBL02
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK58

Quant Time: Aug 03 05:55:30 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 03 05:42:58 2018
Response via : Initial Calibration

