

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU080218\
 Data File : VU025807.D
 Acq On : 02 Aug 2018 21:12
 Operator : MD/SY
 Sample : J4265-11
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AA8

Quant Time: Aug 03 06:35:46 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 03 05:43:06 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	311957	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	291382	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	147962	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	75348	42.31	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.62%
7) Chloroethane-d5	1.68	69	62424	42.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	84.98%
11) 1,1-Dichloroethene-d2	2.27	63	118757	32.03	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.06%
21) 2-Butanone-d5	4.18	46	127997	93.09	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.09%
24) Chloroform-d	4.65	84	165815	41.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	83.60%
26) 1,2-Dichloroethane-d4	5.31	65	114787	43.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.50%
32) Benzene-d6	5.35	84	323734	43.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.64%
36) 1,2-Dichloropropane-d6	6.34	67	104132	43.25	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	86.50%
41) Toluene-d8	7.57	98	306797	42.81	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	85.62%
43) trans-1,3-Dichloropropene-	7.85	79	51464	41.84	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.68%
47) 2-Hexanone-d5	8.31	63	94085	93.32	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	93.32%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	141928	42.14	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	84.28%
64) 1,2-Dichlorobenzene-d4	11.86	152	127017	42.36	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	84.72%

Target Compounds					Ovalue
13) Acetone	2.32	43	5600	3.47 ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU080218\
Data File : VU025807.D
Acq On : 02 Aug 2018 21:12
Operator : MD/SY
Sample : J4265-11
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AA8

Quant Time: Aug 03 06:35:46 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 03 05:43:06 2018
Response via : Initial Calibration

