

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU080219\
 Data File : VU033569.D
 Acq On : 02 Aug 2019 14:57
 Operator : JC/SP
 Sample : K4117-11
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 JLLG9

Quant Time: Aug 03 01:23:32 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM073119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Aug 03 00:39:04 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	290242	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	294802	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.47	152	129118	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	123086	58.33	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	116.66%
7) Chloroethane-d5	1.67	69	105779	58.42	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	116.84%
11) 1,1-Dichloroethene-d2	2.26	63	159427	41.63	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.26%
21) 2-Butanone-d5	4.14	46	167997	120.20	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	120.20%
24) Chloroform-d	4.62	84	182419	51.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.14%
26) 1,2-Dichloroethane-d4	5.28	65	130638	58.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	116.64%
32) Benzene-d6	5.32	84	398833	54.58	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	109.16%
36) 1,2-Dichloropropane-d6	6.31	67	128987	56.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	112.60%
41) Toluene-d8	7.55	98	359445	52.49	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.98%
43) trans-1,3-Dichloropropene-	7.83	79	60342	53.10	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	106.20%
47) 2-Hexanone-d5	8.29	63	120300	110.60	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	110.60%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	188270	53.30	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	106.60%
64) 1,2-Dichlorobenzene-d4	11.85	152	135844	57.45	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	114.90%

Target Compounds					Ovalue
34) Trichloroethene	6.17	95	4929	2.197 ug/L	88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU080219\
Data File : VU033569.D
Acq On : 02 Aug 2019 14:57
Operator : JC/SP
Sample : K4117-11
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
JLLG9

Quant Time: Aug 03 01:23:32 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM073119WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Aug 03 00:39:04 2019
Response via : Initial Calibration

