

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU080418\
 Data File : VU025822.D
 Acq On : 03 Aug 2018 16:50
 Operator : MD/SY
 Sample : J4265-15
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AB3

Quant Time: Aug 03 23:57:04 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 03 23:51:54 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	277697	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	264212	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	132487	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	72974	46.03	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.06%
7) Chloroethane-d5	1.68	69	60081	45.94	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.88%
11) 1,1-Dichloroethene-d2	2.27	63	114364	34.65	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.30%
21) 2-Butanone-d5	4.18	46	116415	95.12	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	95.12%
24) Chloroform-d	4.65	84	163699	46.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.72%
26) 1,2-Dichloroethane-d4	5.31	65	112612	48.22	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.44%
32) Benzene-d6	5.35	84	318852	47.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.10%
36) 1,2-Dichloropropane-d6	6.33	67	103784	47.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.06%
41) Toluene-d8	7.57	98	297297	45.75	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.50%
43) trans-1,3-Dichloropropene-	7.85	79	50824	45.57	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.14%
47) 2-Hexanone-d5	8.31	63	81482	89.13	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	89.13%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	136613	44.74	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.48%
64) 1,2-Dichlorobenzene-d4	11.86	152	127181	47.37	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.74%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU080418\
Data File : VU025822.D
Acq On : 03 Aug 2018 16:50
Operator : MD/SY
Sample : J4265-15
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AB3

Quant Time: Aug 03 23:57:04 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 03 23:51:54 2018
Response via : Initial Calibration

