

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU080418\
 Data File : VU025826.D
 Acq On : 03 Aug 2018 18:23
 Operator : MD/SY
 Sample : J4340-01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 E5F68

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	0.664	20	23	27	rVB2	276	227	0.002%	0.0002%
2	0.690	27	31	33	rBV3	329	253	0.002%	0.0003%
3	0.770	54	56	59	rVB2	327	185	0.002%	0.0002%
4	0.793	59	63	67	rBV	418	383	0.004%	0.0004%
5	0.812	67	69	73	rVB3	161	108	0.001%	0.0001%
6	0.886	87	92	97	rBV3	375	383	0.004%	0.0004%
7	0.924	102	104	105	rBV	149	43	0.000%	0.0000%
8	0.966	115	117	119	rBV	121	52	0.000%	0.0001%
9	0.982	119	122	124	rVV2	232	146	0.001%	0.0002%
10	0.998	124	127	130	rVB2	403	268	0.002%	0.0003%
11	1.088	139	155	172	rBV	592011	637404	59.40%	6.884%
12	1.400	245	252	267	rBV	125728	130560	12.17%	1.410%
13	1.680	332	339	352	rVB	97236	122682	11.43%	1.325%
14	2.272	513	523	536	rVB	231619	350166	32.63%	3.782%
15	2.741	663	669	671	rBV2	487	558	0.005%	0.0006%
16	2.895	713	717	719	rBV2	299	256	0.002%	0.0003%
17	2.979	739	743	744	rBV2	772	554	0.005%	0.0006%
18	3.063	765	769	772	rBV2	485	374	0.003%	0.0004%
19	3.092	775	778	781	rBV3	443	339	0.003%	0.0004%
20	3.104	781	782	785	rVB	394	164	0.002%	0.0002%
21	3.175	801	804	805	rBV2	139	82	0.001%	0.0001%
22	3.384	865	869	871	rBV2	420	244	0.002%	0.0003%
23	3.410	874	877	881	rBV2	422	314	0.003%	0.0003%
24	3.432	881	884	888	rBV3	388	408	0.004%	0.0004%
25	3.535	914	916	917	rBV	157	79	0.001%	0.0001%
26	3.567	924	926	928	rVB	340	155	0.001%	0.0002%
27	3.587	929	932	934	rBV2	328	174	0.002%	0.0002%
28	3.641	945	949	952	rBV2	250	221	0.002%	0.0002%
29	3.657	952	954	957	rVV2	274	150	0.001%	0.0002%
30	3.805	998	1000	1002	rVB	134	51	0.000%	0.0001%
31	3.838	1006	1010	1017	rBV3	512	590	0.005%	0.0006%
32	3.928	1035	1038	1042	rBV	369	327	0.003%	0.0004%
33	4.050	1074	1076	1083	rBV3	418	406	0.004%	0.0004%
34	4.182	1102	1117	1137	rBV	92183	241422	22.50%	2.607%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU080418\
 Data File : VU025826.D
 Acq On : 03 Aug 2018 18:23
 Operator : MD/SY
 Sample : J4340-01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 E5F68

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
 Title : VOC Analysis

35	4.651	1243	1263	1287	rBV	182720	430462	40.12%	4.649%
36	4.796	1305	1308	1312	rVB2	353	197	0.02%	0.002%
37	4.812	1312	1313	1315	rBV	223	75	0.01%	0.001%
38	4.886	1329	1336	1340	rBV4	895	1206	0.11%	0.013%
39	5.040	1379	1384	1387	rVB2	495	388	0.04%	0.004%
40	5.072	1387	1394	1396	rBV2	311	280	0.03%	0.003%
41	5.124	1407	1410	1413	rBV3	582	372	0.03%	0.004%
42	5.137	1413	1414	1415	rBV	213	72	0.01%	0.001%
43	5.346	1453	1479	1502	rBV2	357042	1072982	100.00%	11.588%
44	5.583	1548	1553	1557	rBV3	650	654	0.06%	0.007%
45	5.606	1558	1560	1568	rVB4	540	480	0.04%	0.005%
46	5.641	1568	1571	1574	rBV3	320	275	0.03%	0.003%
47	5.706	1588	1591	1592	rBV2	274	151	0.01%	0.002%
48	5.747	1602	1604	1606	rBV2	323	154	0.01%	0.002%
49	5.809	1619	1623	1626	rBV3	541	497	0.05%	0.005%
50	5.889	1634	1648	1666	rBV	363475	715001	66.64%	7.722%
51	6.114	1715	1718	1720	rBV2	251	163	0.02%	0.002%
52	6.194	1732	1743	1753	rBV4	9462	17346	1.62%	0.187%
53	6.272	1764	1767	1768	rBV2	371	257	0.02%	0.003%
54	6.336	1772	1787	1808	rVV	240949	483609	45.07%	5.223%
55	6.500	1836	1838	1839	rBV2	305	130	0.01%	0.001%
56	6.535	1845	1849	1851	rBV3	429	354	0.03%	0.004%
57	6.567	1855	1859	1863	rVB2	475	423	0.04%	0.005%
58	6.590	1864	1866	1868	rVB2	217	80	0.01%	0.001%
59	6.619	1868	1875	1878	rBV2	409	561	0.05%	0.006%
60	6.661	1885	1888	1890	rBV2	310	239	0.02%	0.003%
61	6.709	1900	1903	1906	rBV	320	217	0.02%	0.002%
62	6.802	1931	1932	1933	rBV	193	68	0.01%	0.001%
63	6.905	1960	1964	1965	rBV2	340	202	0.02%	0.002%
64	6.950	1974	1978	1981	rBV2	449	338	0.03%	0.004%
65	6.972	1982	1985	1988	rVV2	281	177	0.02%	0.002%
66	7.046	2006	2008	2012	rVB2	349	225	0.02%	0.002%
67	7.169	2041	2046	2050	rBV2	432	401	0.04%	0.004%
68	7.230	2053	2065	2080	rBV	139882	246875	23.01%	2.666%
69	7.567	2157	2170	2195	rBV	488233	861227	80.26%	9.301%
70	7.853	2247	2259	2276	rBV	101276	172840	16.11%	1.867%
71	8.136	2344	2347	2349	rBV	373	245	0.02%	0.003%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU080418\
 Data File : VU025826.D
 Acq On : 03 Aug 2018 18:23
 Operator : MD/SY
 Sample : J4340-01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 E5F68

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
 Title : VOC Analysis

72	8.230	2365	2376	2390	rBV	111737	186268	17.36%	2.012%
73	8.313	2391	2402	2437	rBV	288837	513787	47.88%	5.549%
74	8.609	2493	2494	2497	rBV	281	135	0.01%	0.001%
75	8.895	2580	2583	2586	rBV2	363	248	0.02%	0.003%
76	8.931	2592	2594	2597	rVB2	356	175	0.02%	0.002%
77	8.953	2597	2601	2603	rBV2	358	297	0.03%	0.003%
78	9.005	2614	2617	2620	rBV2	410	333	0.03%	0.004%
79	9.095	2631	2645	2681	rBV	518402	871233	81.20%	9.409%
80	9.246	2689	2692	2695	rBV2	467	331	0.03%	0.004%
81	9.374	2726	2732	2733	rBV2	477	438	0.04%	0.005%
82	9.506	2771	2773	2775	rBV2	299	114	0.01%	0.001%
83	9.541	2782	2784	2786	rBV2	297	189	0.02%	0.002%
84	9.686	2827	2829	2835	rVB3	426	339	0.03%	0.004%
85	9.918	2898	2901	2902	rBV2	311	205	0.02%	0.002%
86	10.377	3041	3044	3047	rBV	339	246	0.02%	0.003%
87	10.435	3050	3062	3082	rVB	334634	532118	49.59%	5.747%
88	10.586	3105	3109	3110	rBV2	546	337	0.03%	0.004%
89	11.487	3377	3389	3408	rBV	529569	837378	78.04%	9.043%
90	11.863	3494	3506	3524	rBV	501607	816458	76.09%	8.817%


Sum of corrected areas: 9259580

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU080418\
Data File : VU025826.D
Acq On : 03 Aug 2018 18:23
Operator : MD/SY
Sample : J4340-01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
E5F68

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU080418\
Data File : VU025826.D
Acq On : 03 Aug 2018 18:23
Operator : MD/SY
Sample : J4340-01
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
E5F68

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU080418\
Data File : VU025826.D
Acq On : 03 Aug 2018 18:23
Operator : MD/SY
Sample : J4340-01
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
E5F68

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM072018WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc