

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU080522\  
 Data File : VU050124.D  
 Acq On : 06 Aug 2022 03:21  
 Operator : SY/MD  
 Sample : N4070-07  
 Misc : 25.0mL/MSVOA\_U/WATER  
 ALS Vial : 42 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 GBJK2

Quant Time: Aug 06 06:06:49 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR080422WMA.M  
 Quant Title : TRACE VOA SFAM1.0  
 QLast Update : Sat Aug 06 06:03:36 2022  
 Response via : Initial Calibration


| Compound                      | R.T.   | QIon           | Response | Conc   | Units    | Dev(Min) |
|-------------------------------|--------|----------------|----------|--------|----------|----------|
| -----                         |        |                |          |        |          |          |
| Internal Standards            |        |                |          |        |          |          |
| 1) 1,4-Difluorobenzene        | 6.250  | 114            | 82281    | 5.000  | ug/L     | 0.00     |
| 28) Chlorobenzene-d5          | 9.417  | 117            | 82972    | 5.000  | ug/L     | 0.00     |
| 58) 1,4-Dichlorobenzene-d4    | 11.812 | 152            | 33518    | 5.000  | ug/L     | 0.00     |
|                               |        |                |          |        |          |          |
| System Monitoring Compounds   |        |                |          |        |          |          |
| 4) Vinyl Chloride-d3          | 1.597  | 65             | 28258    | 4.127  | ug/L     | 0.00     |
| Spiked Amount                 | 5.000  | Range 40 - 130 | Recovery | =      | 82.600%  |          |
| 7) Chloroethane-d5            | 1.909  | 69             | 24933    | 4.513  | ug/L     | 0.00     |
| Spiked Amount                 | 5.000  | Range 65 - 130 | Recovery | =      | 90.200%  |          |
| 11) 1,1-Dichloroethene-d2     | 2.565  | 65             | 11239    | 4.200  | ug/L     | 0.00     |
| Spiked Amount                 | 5.000  | Range 60 - 125 | Recovery | =      | 84.000%  |          |
| 20) 2-Butanone-d5             | 4.626  | 46             | 98706    | 59.112 | ug/L     | 0.00     |
| Spiked Amount                 | 50.000 | Range 40 - 130 | Recovery | =      | 118.220% |          |
| 24) Chloroform-d              | 5.063  | 84             | 64495    | 5.064  | ug/L     | 0.00     |
| Spiked Amount                 | 5.000  | Range 70 - 125 | Recovery | =      | 101.200% |          |
| 26) 1,2-Dichloroethane-d4     | 5.703  | 65             | 34135    | 5.220  | ug/L     | 0.00     |
| Spiked Amount                 | 5.000  | Range 70 - 130 | Recovery | =      | 104.400% |          |
| 32) Benzene-d6                | 5.726  | 84             | 122917   | 4.747  | ug/L     | 0.00     |
| Spiked Amount                 | 5.000  | Range 70 - 125 | Recovery | =      | 95.000%  |          |
| 36) 1,2-Dichloropropane-d6    | 6.690  | 67             | 43926    | 5.152  | ug/L     | 0.00     |
| Spiked Amount                 | 5.000  | Range 60 - 140 | Recovery | =      | 103.000% |          |
| 41) Toluene-d8                | 7.899  | 98             | 96710    | 4.229  | ug/L     | 0.00     |
| Spiked Amount                 | 5.000  | Range 70 - 130 | Recovery | =      | 84.600%  |          |
| 43) trans-1,3-Dichloroprop... | 8.182  | 79             | 13072    | 4.278  | ug/L     | 0.00     |
| Spiked Amount                 | 5.000  | Range 55 - 130 | Recovery | =      | 85.600%  |          |
| 46) 2-Hexanone-d5             | 8.632  | 63             | 67323    | 62.134 | ug/L     | 0.00     |
| Spiked Amount                 | 50.000 | Range 45 - 130 | Recovery | =      | 124.260% |          |
| 56) 1,1,2,2-Tetrachloroeth... | 10.758 | 84             | 39597    | 5.288  | ug/L     | 0.00     |
| Spiked Amount                 | 5.000  | Range 65 - 120 | Recovery | =      | 105.800% |          |
| 66) 1,2-Dichlorobenzene-d4    | 12.192 | 152            | 36222    | 5.516  | ug/L     | 0.00     |
| Spiked Amount                 | 5.000  | Range 80 - 120 | Recovery | =      | 110.400% |          |
|                               |        |                |          |        |          |          |
| Target Compounds              |        |                |          |        |          | Qvalue   |
| 14) Carbon disulfide          | 2.793  | 76             | 4349     | 0.214  | ug/L     | # 94     |
| -----                         |        |                |          |        |          |          |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU080522\  
Data File : VU050124.D  
Acq On : 06 Aug 2022 03:21  
Operator : SY/MD  
Sample : N4070-07  
Misc : 25.0mL/MSVOA\_U/WATER  
ALS Vial : 42 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
GBJK2

Quant Time: Aug 06 06:06:49 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR080422WMA.M  
Quant Title : TRACE VOA SFAM1.0  
QLast Update : Sat Aug 06 06:03:36 2022  
Response via : Initial Calibration





#14  
Carbon disulfide  
Concen: 0.214 ug/L  
RT: 2.793 min Scan# 41  
Delta R.T. 0.003 min  
Lab File: VU050124.D  
Acq: 06 Aug 2022 03:21

Instrument :  
MSVOA\_U  
ClientSampleId :  
GBJK2

Tgt Ion: 76 Resp: 4349  
Ion Ratio Lower Upper  
76 100  
78 11.5 7.4 11.0#

