

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU080718\
 Data File : VU025957.D
 Acq On : 07 Aug 2018 23:18
 Operator : MD/SY
 Sample : J4361-12
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A4ZB9

Quant Time: Aug 08 06:55:34 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080718WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Aug 08 06:47:05 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	313262	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	282521	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	119934	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	82518	47.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	95.06%
7) Chloroethane-d5	1.68	69	66227	50.87	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	101.74%
11) 1,1-Dichloroethene-d2	2.27	63	122458	36.42	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.84%
21) 2-Butanone-d5	4.18	46	126030	105.51	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.51%
24) Chloroform-d	4.65	84	168338	50.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.18%
26) 1,2-Dichloroethane-d4	5.31	65	117015	52.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.50%
32) Benzene-d6	5.35	84	334464	53.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	107.42%
36) 1,2-Dichloropropane-d6	6.33	67	105857	54.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	109.34%
41) Toluene-d8	7.57	98	300230	49.69	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.38%
43) trans-1,3-Dichloropropene-	7.85	79	48713	47.98	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.96%
47) 2-Hexanone-d5	8.31	63	84088	104.36	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	104.36%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	141784	52.86	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	105.72%
64) 1,2-Dichlorobenzene-d4	11.86	152	110293	55.67	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	111.34%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU080718\
Data File : VU025957.D
Acq On : 07 Aug 2018 23:18
Operator : MD/SY
Sample : J4361-12
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A4ZB9

Quant Time: Aug 08 06:55:34 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080718WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Aug 08 06:47:05 2018
Response via : Initial Calibration

