

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU080719\
 Data File : VU033614.D
 Acq On : 07 Aug 2019 10:01
 Operator : JC/SP
 Sample : VU0807WBL01
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK43

Quant Time: Aug 08 03:17:16 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 08 03:14:38 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	313570	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	311868	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.47	152	143388	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	80201	40.02	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	80.04%
7) Chloroethane-d5	1.67	69	82377	36.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	73.76%
11) 1,1-Dichloroethene-d2	2.26	63	117231	30.21	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	60.42%
21) 2-Butanone-d5	4.16	46	169789	104.59	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.59%
24) Chloroform-d	4.62	84	175857	46.10	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.20%
26) 1,2-Dichloroethane-d4	5.29	65	114610	47.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.28%
32) Benzene-d6	5.32	84	331386	43.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.90%
36) 1,2-Dichloropropane-d6	6.31	67	113407	46.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.92%
41) Toluene-d8	7.55	98	291005	41.00	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	82.00%
43) trans-1,3-Dichloropropene-	7.83	79	53293	43.89	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.78%
47) 2-Hexanone-d5	8.30	63	116013	97.18	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	97.18%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	180795	48.40	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.80%
64) 1,2-Dichlorobenzene-d4	11.85	152	125363	48.68	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.36%


Target Compounds					Qvalue
59) 1,2,3-Trichloropropane	11.47	75	17169	5.170 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU080719\
Data File : VU033614.D
Acq On : 07 Aug 2019 10:01
Operator : JC/SP
Sample : VU0807WBL01
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK43

Quant Time: Aug 08 03:17:16 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080519WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 08 03:14:38 2019
Response via : Initial Calibration





#59

1,2,3-Trichloropropane

Concen: 5.170 ug/L

RT: 11.47 min Scan# 3228

Delta R.T. 0.99 min

Lab File: VU033614.D

Acq: 07 Aug 2019 10:01

Instrument :

MSVOA_U

ClientSampleId :

VBLK43

Tgt Ion: 75 Resp: 17169

Ion Ratio Lower Upper

75 100

77 35.1 25.7 38.5

