

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU080720\
 Data File : VU039781.D
 Acq On : 07 Aug 2020 12:52
 Operator : SY/MD
 Sample : L3572-22
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F2L91

Quant Time: Aug 08 04:04:22 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR080320WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Aug 08 03:30:58 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	78091	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	73678	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	33126	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	19125	4.54	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	90.80%
7) Chloroethane-d5	1.92	69	21230	4.66	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	93.20%
11) 1,1-Dichloroethene-d2	2.58	63	28405	3.34	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	66.80%
20) 2-Butanone-d5	4.65	46	86404	46.59	ug/L	-0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	93.18%
24) Chloroform-d	5.08	84	47749	4.53	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.60%
26) 1,2-Dichloroethane-d4	5.72	65	29535	4.71	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.20%
32) Benzene-d6	5.75	84	86624	4.95	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.00%
36) 1,2-Dichloropropane-d6	6.70	67	29081	4.84	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	96.80%
41) Toluene-d8	7.91	98	67222	4.32	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.40%
43) trans-1,3-Dichloropropene-	8.19	79	9148	3.97	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	79.40%
46) 2-Hexanone-d5	8.64	63	60413	48.51	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	97.02%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	27063	4.64	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	92.80%
64) 1,2-Dichlorobenzene-d4	12.19	152	30871	5.45	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	109.00%

Target Compounds					Ovalue
22) cis-1,2-Dichloroethene	4.69	96	1040	0.184 ug/L	76

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU080720\
Data File : VU039781.D
Acq On : 07 Aug 2020 12:52
Operator : SY/MD
Sample : L3572-22
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F2L91

Quant Time: Aug 08 04:04:22 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR080320WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Aug 08 03:30:58 2020
Response via : Initial Calibration

