


Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU080820\
Data File : VU039808.D
Acq On : 08 Aug 2020 14:06
Operator : SY/MD
Sample : L3617-05
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Quant Time: Aug 10 02:26:59 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR080320WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Aug 10 01:16:49 2020
Response via : Initial Calibration

Instrument :
MSVOA_U
ClientSampleId :
F4G05

Manual Integrations
APPROVED

MMDadoda
8/10/2020 10:46:46 AM



Quantitation Report (Qedit)

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU080820\

Data File : VU039808.D

Acq On : 08 Aug 2020 14:06

Operator : SY/MD

Sample : L3617-05

Misc : 25.0mL/MSVOA U/WATER

ALS Vial : 12 Sample Multiplier: 1

Quant Time: Aug 10 01:20:09 2020

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR080320WMA.M

Quant Title : TRACE VOA SOM01.0

QLast Update : Mon Aug 10 01:16:49 2020

Response via : Initial Calibration

Instrument :

MSVOA_U

ClientSampleId :




F4G05

Manual Integrations

APPROVED

MMDadoda

8/10/2020 10:46:46 AM



(13) Acetone (T)

2.761min (+0.090) 0.45ug/L

response 534

Ion	Exp%	Act%
43.05	100	100
58.05	30.90	20.60
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU080820\

Data File : VU039808.D

Acq On : 08 Aug 2020 14:06

Operator : SY/MD

Sample : L3617-05

Misc : 25.0mL/MSVOA U/WATER

ALS Vial : 12 Sample Multiplier: 1

Quant Time: Aug 10 01:20:09 2020

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR080320WMA.M

Quant Title : TRACE VOA SOM01.0

QLast Update : Mon Aug 10 01:16:49 2020

Response via : Initial Calibration

Instrument :

MSVOA_U




ClientSampleId :

F4G05

Manual Integrations
APPROVED

MMDadoda

8/10/2020 10:46:46 AM



(13) Acetone (T)

2.674min (+0.003) 6.86ug/L m

response 8179

Ion	Exp%	Act%
43.05	100	100
58.05	30.90	1.34
0.00	0.00	0.00
0.00	0.00	0.00

MD
08/10/20

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU080820\
 Data File : VU039808.D
 Acq On : 08 Aug 2020 14:06
 Operator : SY/MD
 Sample : L3617-05
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F4G05

Quant Time: Aug 10 02:26:59 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR080320WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Mon Aug 10 01:16:49 2020
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda
 8/10/2020 10:46:46 AM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.27	114	85150	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	81157	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	40260	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	22728	4.94	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	98.80%
7) Chloroethane-d5	1.92	69	20486	4.12	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	82.40%
11) 1,1-Dichloroethene-d2	2.58	63	34339	3.71	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	74.20%
20) 2-Butanone-d5	4.66	46	74176	36.68	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	73.36%
24) Chloroform-d	5.09	84	42997	3.74	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	74.80%
26) 1,2-Dichloroethane-d4	5.72	65	26271	3.84	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	76.80%
32) Benzene-d6	5.75	84	86522	4.48	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.60%
36) 1,2-Dichloropropane-d6	6.70	67	27815	4.21	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	84.20%
41) Toluene-d8	7.91	98	73247	4.27	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.40%
43) trans-1,3-Dichloropropene-	8.19	79	8946	3.53	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	70.60%
46) 2-Hexanone-d5	8.64	63	53258	38.82	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	77.64%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	23056	3.59	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	71.80%
64) 1,2-Dichlorobenzene-d4	12.19	152	30818	4.47	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	89.40%

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
13) Acetone	2.67	43	8179m	6.860	ug/L	
42) Toluene	7.98	91	3314	0.143	ug/L	80

(#) = qualifier out of range (m) = manual integration (+) = signals summed

JMD
 08/10/20