

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU080822\
 Data File : VU050133.D
 Acq On : 08 Aug 2022 13:59
 Operator : SY/MD
 Sample : VU0808WBL01
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK102

Quant Time: Aug 09 00:40:20 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR080422WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Aug 09 00:39:33 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	88641	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	87477	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	33501	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	25647	3.477	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	69.600%	
7) Chloroethane-d5	1.912	69	24053	4.041	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	80.800%	
11) 1,1-Dichloroethene-d2	2.562	65	10784	3.740	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	74.800%	
20) 2-Butanone-d5	4.639	46	109366	60.796	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	121.600%	
24) Chloroform-d	5.063	84	62945	4.587	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	91.800%	
26) 1,2-Dichloroethane-d4	5.703	65	33974	4.822	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	96.400%	
32) Benzene-d6	5.729	84	118682	4.348	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	87.000%	
36) 1,2-Dichloropropane-d6	6.694	67	42634	4.743	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	94.800%	
41) Toluene-d8	7.899	98	93324	3.871	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	77.400%	
43) trans-1,3-Dichloroprop...	8.182	79	14242	4.421	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	88.400%	
46) 2-Hexanone-d5	8.639	63	65065	56.957	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	113.920%	
56) 1,1,2,2-Tetrachloroeth...	10.758	84	39205	4.966	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	99.400%	
66) 1,2-Dichlorobenzene-d4	12.195	152	33185	5.056	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	101.200%	
Target Compounds						Qvalue
16) Methylene chloride	3.044	84	2669	0.285	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU080822\
Data File : VU050133.D
Acq On : 08 Aug 2022 13:59
Operator : SY/MD
Sample : VU0808WBL01
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK102

Quant Time: Aug 09 00:40:20 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR080422WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Aug 09 00:39:33 2022
Response via : Initial Calibration

