

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU080918\
 Data File : VU026025.D
 Acq On : 10 Aug 2018 03:19
 Operator : MD/SY
 Sample : J4401-09 10X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 50 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A4ZE9

Quant Time: Aug 10 08:24:30 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 10 07:39:13 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	304733	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	296655	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	159887	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	77031	34.58	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	69.16%
7) Chloroethane-d5	1.68	69	69166	39.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	78.34%
11) 1,1-Dichloroethene-d2	2.27	63	120547	28.48	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	56.96%#
21) 2-Butanone-d5	4.18	46	155111	83.55	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	83.55%
24) Chloroform-d	4.65	84	197431	41.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	83.60%
26) 1,2-Dichloroethane-d4	5.31	65	138117	43.29	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.58%
32) Benzene-d6	5.35	84	380277	41.28	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	82.56%
36) 1,2-Dichloropropane-d6	6.33	67	124633	41.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	83.62%
41) Toluene-d8	7.57	98	348732	39.57	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	79.14%#
43) trans-1,3-Dichloropropene-	7.85	79	57670	38.40	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	76.80%
47) 2-Hexanone-d5	8.31	63	108261	79.97	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	79.97%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	182046	41.76	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	83.52%
64) 1,2-Dichlorobenzene-d4	11.87	152	165744	42.05	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	84.10%

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
13) Acetone	2.32	43	13806	11.97	ug/L	99
51) Chlorobenzene	9.12	112	5893395	974.59	ug/L	99
52) Ethylbenzene	9.25	91	12464	1.27	ug/L	99
62) 1,3-Dichlorobenzene	11.42	146	189809	38.13	ug/L	98
63) 1,4-Dichlorobenzene	11.51	146	3545958	679.56	ug/L	98
65) 1,2-Dichlorobenzene	11.89	146	3626491	684.47	ug/L	99
68) 1,2,4-trichlorobenzene	13.51	180	3571805	1135.37	ug/L	100
70) 1,2,3-Trichlorobenzene	13.99	180	733217	216.85	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU080918\
Data File : VU026025.D
Acq On : 10 Aug 2018 03:19
Operator : MD/SY
Sample : J4401-09 10X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 50 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A4ZE9

Quant Time: Aug 10 08:24:30 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 10 07:39:13 2018
Response via : Initial Calibration

