

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU080918\
 Data File : VU026016.D
 Acq On : 09 Aug 2018 23:41
 Operator : MD/SY
 Sample : J4401-12
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A4ZF2

Quant Time: Aug 10 07:42:36 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Aug 10 07:39:13 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	294097	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	275642	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	118129	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	81851	38.07	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	76.14%
7) Chloroethane-d5	1.68	69	72351	42.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	84.90%
11) 1,1-Dichloroethene-d2	2.27	63	123898	30.33	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	60.66%
21) 2-Butanone-d5	4.18	46	160748	89.72	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	89.72%
24) Chloroform-d	4.65	84	202982	44.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.06%
26) 1,2-Dichloroethane-d4	5.31	65	137614	44.69	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.38%
32) Benzene-d6	5.35	84	378818	44.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.52%
36) 1,2-Dichloropropane-d6	6.33	67	126106	45.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	91.06%
41) Toluene-d8	7.57	98	339445	41.45	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	82.90%
43) trans-1,3-Dichloropropene-	7.85	79	58976	42.26	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.52%
47) 2-Hexanone-d5	8.31	63	114137	90.73	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.73%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	179410	44.30	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	88.60%
64) 1,2-Dichlorobenzene-d4	11.86	152	135483	46.52	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.04%


Target Compounds					Ovalue
13) Acetone	2.32	43	14967	13.45 ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU080918\
Data File : VU026016.D
Acq On : 09 Aug 2018 23:41
Operator : MD/SY
Sample : J4401-12
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 41 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A4ZF2

Quant Time: Aug 10 07:42:36 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Aug 10 07:39:13 2018
Response via : Initial Calibration





#13
 Acetone
 Concen: 13.45 ug/L
 RT: 2.32 min Scan# 538
 Delta R.T. 0.00 min
 Lab File: VU026016.D
 Acq: 09 Aug 2018 23:41

Instrument :
 MSVOA_U
 ClientSampleId :
 A4ZF2

Tot Ion: 43 Resp: 14967
 Ion Ratio Lower Upper
 43 100
 58 30.9 0.0 61.8

