

Data File : VU033730.D
Acq On : 10 Aug 2019 21:16
Operator : JC/SP
Sample : VU0810WBL02
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK49

Quant Time: Aug 12 01:42:29 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080919WMA.M
Quant Title : VOC Analysis
QLast Update : Sun Aug 11 04:51:09 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	323021	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	320310	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.47	152	151580	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	122412	51.48	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	102.96%		
7) Chloroethane-d5	1.67	69	114671	48.11	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	96.22%		
11) 1,1-Dichloroethene-d2	2.26	63	154667	38.68	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	77.36%		
21) 2-Butanone-d5	4.15	46	166574	113.00	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	113.00%		
24) Chloroform-d	4.62	84	185642	52.55	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	105.10%		
26) 1,2-Dichloroethane-d4	5.29	65	119317	54.01	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	108.02%		
32) Benzene-d6	5.32	84	389765	51.56	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	103.12%		
36) 1,2-Dichloropropane-d6	6.31	67	121806	52.51	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	105.02%		
41) Toluene-d8	7.55	98	342860	48.22	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	96.44%		
43) trans-1,3-Dichloropropene-	7.83	79	56120	47.91	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	95.82%		
47) 2-Hexanone-d5	8.29	63	127072	105.75	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	105.75%		
57) 1,1,2,2-Tetrachloroethane-	10.41	84	176815	51.52	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	103.04%		
64) 1,2-Dichlorobenzene-d4	11.84	152	132563	51.96	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	103.92%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VU033730.D
Acq On : 10 Aug 2019 21:16
Operator : JC/SP
Sample : VU0810WBL02
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK49

Quant Time: Aug 12 01:42:29 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080919WMA.M
Quant Title : VOC Analysis
QLast Update : Sun Aug 11 04:51:09 2019
Response via : Initial Calibration

