

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU081020\
 Data File : VU039830.D
 Acq On : 10 Aug 2020 17:47
 Operator : SY/MD
 Sample : VIBLK48
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK48

Quant Time: Aug 11 05:59:51 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR080320WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Aug 11 04:57:12 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	72872	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	72184	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	36325	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	23239	5.91	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	118.20%
7) Chloroethane-d5	1.92	69	21816	5.13	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	102.60%
11) 1,1-Dichloroethene-d2	2.58	63	33738	4.26	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	85.20%
20) 2-Butanone-d5	4.66	46	87346	50.47	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	100.94%
24) Chloroform-d	5.08	84	46666	4.75	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.00%
26) 1,2-Dichloroethane-d4	5.72	65	28708	4.90	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.00%
32) Benzene-d6	5.74	84	86990	5.07	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.40%
36) 1,2-Dichloropropane-d6	6.70	67	28589	4.86	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	97.20%
41) Toluene-d8	7.91	98	71271	4.68	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.60%
43) trans-1,3-Dichloropropene-	8.18	79	10392	4.61	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	92.20%
46) 2-Hexanone-d5	8.64	63	60540	49.61	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	99.22%
57) 1,1,2,2-Tetrachloroethane-	10.76	84	26115	4.57	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	91.40%
64) 1,2-Dichlorobenzene-d4	12.19	152	33215	5.34	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	106.80%

Target Compounds					Ovalue
22) cis-1,2-Dichloroethene	4.69	96	2205	0.419 ug/L	87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU081020\
Data File : VU039830.D
Acq On : 10 Aug 2020 17:47
Operator : SY/MD
Sample : VIBLK48
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VIBLK48

Quant Time: Aug 11 05:59:51 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR080320WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Aug 11 04:57:12 2020
Response via : Initial Calibration

