

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU081122\
 Data File : VU050227.D
 Acq On : 11 Aug 2022 13:45
 Operator : SY/MD
 Sample : N4160-01
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 B0AG8

Quant Time: Aug 12 01:31:52 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR080422WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Aug 12 01:30:48 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	87189	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	84399	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	32839	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	42153	5.810	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	116.200%
7) Chloroethane-d5	1.913	69	31442	5.371	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	107.400%
11) 1,1-Dichloroethene-d2	2.565	65	15441	5.445	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	108.800%
20) 2-Butanone-d5	4.642	46	105072	59.382	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	118.760%
24) Chloroform-d	5.067	84	65644	4.864	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.200%
26) 1,2-Dichloroethane-d4	5.703	65	35488	5.121	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	102.400%
32) Benzene-d6	5.729	84	131534	4.994	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.800%
36) 1,2-Dichloropropane-d6	6.694	67	44051	5.079	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	101.600%
41) Toluene-d8	7.899	98	104471	4.491	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.800%
43) trans-1,3-Dichloroprop...	8.182	79	15504	4.988	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	99.800%
46) 2-Hexanone-d5	8.639	63	57800	52.443	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	104.880%
56) 1,1,2,2-Tetrachloroeth...	10.758	84	40002	5.252	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	105.000%
66) 1,2-Dichlorobenzene-d4	12.195	152	33804	5.254	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	105.000%
Target Compounds						Qvalue
6) Bromomethane	1.858	94	1050	0.176	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU081122\
Data File : VU050227.D
Acq On : 11 Aug 2022 13:45
Operator : SY/MD
Sample : N4160-01
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
B0AG8

Quant Time: Aug 12 01:31:52 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR080422WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Aug 12 01:30:48 2022
Response via : Initial Calibration

