

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU081122\
 Data File : VU050265.D
 Acq On : 12 Aug 2022 07:53
 Operator : SY/MD
 Sample : VU0811WBL03
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 48 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK108

Quant Time: Aug 12 08:12:50 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR080422WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Aug 12 08:12:22 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	101029	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	103130	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	37900	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	33789	4.019	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	80.400%	
7) Chloroethane-d5	1.912	69	31772	4.684	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	93.600%	
11) 1,1-Dichloroethene-d2	2.565	65	13478	4.102	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	82.000%	
20) 2-Butanone-d5	4.645	46	119431	58.251	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	116.500%	
24) Chloroform-d	5.063	84	70769	4.525	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	90.600%	
26) 1,2-Dichloroethane-d4	5.703	65	38178	4.755	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	95.000%	
32) Benzene-d6	5.729	84	135526	4.211	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	84.200%	
36) 1,2-Dichloropropane-d6	6.690	67	48209	4.549	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	91.000%	
41) Toluene-d8	7.899	98	102518	3.607	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	72.200%	
43) trans-1,3-Dichloroprop...	8.182	79	12953	3.411	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	68.200%	
46) 2-Hexanone-d5	8.639	63	57251	42.510	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	85.020%	
56) 1,1,2,2-Tetrachloroeth...	10.758	84	42682	4.586	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	91.800%	
66) 1,2-Dichlorobenzene-d4	12.195	152	34481	4.643	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	92.800%	
Target Compounds						Qvalue
16) Methylene chloride	3.044	84	5631	0.528	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU081122\
Data File : VU050265.D
Acq On : 12 Aug 2022 07:53
Operator : SY/MD
Sample : VU0811WBL03
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 48 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK108

Quant Time: Aug 12 08:12:50 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR080422WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Aug 12 08:12:22 2022
Response via : Initial Calibration

