

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU081122\
 Data File : VU050286.D
 Acq On : 12 Aug 2022 17:09
 Operator : SY/MD
 Sample : VU0811WBL04
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK109

Quant Time: Aug 13 01:21:58 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR080422WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Aug 13 01:20:27 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	90193	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	91656	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.816	152	35309	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	32908	4.384	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	87.600%	
7) Chloroethane-d5	1.912	69	28718	4.742	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	94.800%	
11) 1,1-Dichloroethene-d2	2.562	65	12274	4.184	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	83.600%	
20) 2-Butanone-d5	4.639	46	104868	57.293	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	114.580%	
24) Chloroform-d	5.063	84	64636	4.630	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	92.600%	
26) 1,2-Dichloroethane-d4	5.703	65	36102	5.036	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	100.800%	
32) Benzene-d6	5.729	84	119863	4.191	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	83.800%	
36) 1,2-Dichloropropane-d6	6.690	67	42866	4.551	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	91.000%	
41) Toluene-d8	7.899	98	91932	3.639	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	72.800%	
43) trans-1,3-Dichloroprop...	8.182	79	14103	4.178	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	83.600%	
46) 2-Hexanone-d5	8.639	63	54691	45.693	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	91.380%	
56) 1,1,2,2-Tetrachloroeth...	10.758	84	38721	4.681	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	93.600%	
66) 1,2-Dichlorobenzene-d4	12.195	152	31205	4.511	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	90.200%	
Target Compounds						Qvalue
16) Methylene chloride	3.044	84	3816	0.401	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU081122\
Data File : VU050286.D
Acq On : 12 Aug 2022 17:09
Operator : SY/MD
Sample : VU0811WBL04
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK109

Quant Time: Aug 13 01:21:58 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR080422WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Aug 13 01:20:27 2022
Response via : Initial Calibration

