

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU081122\
 Data File : VU050290.D
 Acq On : 12 Aug 2022 19:14
 Operator : SY/MD
 Sample : N4072-12
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DBUV9

Quant Time: Aug 13 01:23:01 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR080422WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Aug 13 01:20:27 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	80754	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	82244	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	30437	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	33962	5.054	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	101.000%	
7) Chloroethane-d5	1.909	69	29623	5.464	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	109.200%	
11) 1,1-Dichloroethene-d2	2.565	65	11803	4.494	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	89.800%	
20) 2-Butanone-d5	4.623	46	95379	58.199	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	116.400%	
24) Chloroform-d	5.063	84	64259	5.141	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	102.800%	
26) 1,2-Dichloroethane-d4	5.703	65	34837	5.428	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	108.600%	
32) Benzene-d6	5.729	84	120755	4.705	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	94.000%	
36) 1,2-Dichloropropane-d6	6.694	67	42772	5.061	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	101.200%	
41) Toluene-d8	7.899	98	91525	4.038	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	80.800%	
43) trans-1,3-Dichloroprop...	8.179	79	13891	4.587	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	91.800%	
46) 2-Hexanone-d5	8.632	63	52204	48.607	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	97.220%	
56) 1,1,2,2-Tetrachloroeth...	10.758	84	37877	5.103	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	102.000%	
66) 1,2-Dichlorobenzene-d4	12.195	152	31530	5.287	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	105.800%	
Target Compounds						Qvalue
3) Chloromethane	1.517	50	1982	0.205	ug/L	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU081122\
Data File : VU050290.D
Acq On : 12 Aug 2022 19:14
Operator : SY/MD
Sample : N4072-12
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DBUV9

Quant Time: Aug 13 01:23:01 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR080422WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Aug 13 01:20:27 2022
Response via : Initial Calibration

