

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU081318\
 Data File : VU026056.D
 Acq On : 13 Aug 2018 10:14
 Operator : MD/SY
 Sample : J4361-25
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Aug 14 01:14:26 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 14 01:13:22 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	288632	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	272469	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	121242	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	97464	46.20	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.40%
7) Chloroethane-d5	1.68	69	80202	47.95	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.90%
11) 1,1-Dichloroethene-d2	2.27	63	142406	35.52	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.04%
21) 2-Butanone-d5	4.17	46	152564	86.76	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	86.76%
24) Chloroform-d	4.65	84	205473	45.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.86%
26) 1,2-Dichloroethane-d4	5.31	65	143591	47.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.02%
32) Benzene-d6	5.34	84	406877	48.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.18%
36) 1,2-Dichloropropane-d6	6.33	67	132383	48.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.72%
41) Toluene-d8	7.57	98	368997	45.59	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.18%
43) trans-1,3-Dichloropropene-	7.85	79	65436	47.44	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.88%
47) 2-Hexanone-d5	8.31	63	105253	84.65	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	84.65%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	179424	44.82	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.64%
64) 1,2-Dichlorobenzene-d4	11.86	152	148743	49.77	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.54%


Target Compounds					Ovalue
13) Acetone	2.32	43	1411	1.292 ug/L	87


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU081318\
Data File : VU026056.D
Acq On : 13 Aug 2018 10:14
Operator : MD/SY
Sample : J4361-25
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Aug 14 01:14:26 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 14 01:13:22 2018
Response via : Initial Calibration





#13

Acetone

Concen: 1.292 ug/L

RT: 2.32 min Scan# 539

Delta R.T. 0.01 min

Lab File: VU026056.D

Acq: 13 Aug 2018 10:14

Instrument :
MSVOA_U
ClientSampleId :

Tot Ion: 43 Resp: 1411

Ion Ratio Lower Upper

43 100

58 23.9 0.0 61.8

