

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU081318\
 Data File : VU026073.D
 Acq On : 13 Aug 2018 17:27
 Operator : MD/SY
 Sample : J4402-06 10X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Aug 14 02:19:40 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 14 02:18:47 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	271476	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	250725	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	108470	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	90306	45.51	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	91.02%
7) Chloroethane-d5	1.68	69	75233	47.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.64%
11) 1,1-Dichloroethene-d2	2.27	63	135092	35.83	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.66%
21) 2-Butanone-d5	4.18	46	148113	89.55	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	89.55%
24) Chloroform-d	4.65	84	200336	47.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.22%
26) 1,2-Dichloroethane-d4	5.31	65	139980	49.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.48%
32) Benzene-d6	5.35	84	388029	49.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.68%
36) 1,2-Dichloropropane-d6	6.33	67	127628	50.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.32%
41) Toluene-d8	7.57	98	349369	46.90	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.80%
43) trans-1,3-Dichloropropene-	7.85	79	60930	48.00	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	96.00%
47) 2-Hexanone-d5	8.31	63	102760	89.81	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	89.81%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	174401	47.34	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.68%
64) 1,2-Dichlorobenzene-d4	11.86	152	135856	50.81	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.62%


Target Compounds					Ovalue
68) 1,2,4-trichlorobenzene	13.52	180	3056	1.432 ug/L	# 70


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU081318\
Data File : VU026073.D
Acq On : 13 Aug 2018 17:27
Operator : MD/SY
Sample : J4402-06 10X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Aug 14 02:19:40 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 14 02:18:47 2018
Response via : Initial Calibration






#68
 1,2,4-trichlorobenzene
 Concen: 1.432 ug/L
 RT: 13.52 min Scan# 4021
 Delta R.T. 0.01 min
 Lab File: VU026073.D
 Acq: 13 Aug 2018 17:27

Instrument :
 MSVOA_U
 ClientSampleId :

Tot Ion:180 Resp: 3056
 Ion Ratio Lower Upper
 180 100
 182 70.0 76.5 114.7#
 145 7.4 24.2 36.4#



Abundance Ion 180.00 (179.70 to 180.70): V
 Ion 182.00 (181.70 to 182.70): V
 Ion 145.00 (144.70 to 145.70): V

