

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU081318\
 Data File : VU026074.D
 Acq On : 13 Aug 2018 17:51
 Operator : MD/SY
 Sample : J4402-07 10X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Aug 14 02:19:45 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 14 02:18:47 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	294284	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	273619	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	115581	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	92493	43.00	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.00%
7) Chloroethane-d5	1.67	69	78063	45.77	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.54%
11) 1,1-Dichloroethene-d2	2.27	63	141945	34.73	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.46%
21) 2-Butanone-d5	4.18	46	153594	85.67	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	85.67%
24) Chloroform-d	4.65	84	204567	44.85	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.70%
26) 1,2-Dichloroethane-d4	5.31	65	140874	45.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.44%
32) Benzene-d6	5.35	84	394264	46.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.80%
36) 1,2-Dichloropropane-d6	6.33	67	127439	46.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.70%
41) Toluene-d8	7.57	98	358942	44.16	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.32%
43) trans-1,3-Dichloropropene-	7.85	79	61624	44.49	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.98%
47) 2-Hexanone-d5	8.31	63	106691	85.44	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	85.44%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	178991	44.52	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.04%
64) 1,2-Dichlorobenzene-d4	11.86	152	141122	49.53	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.06%


Target Compounds					Ovalue
13) Acetone	2.32	43	1466	1.316 ug/L	79


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU081318\
Data File : VU026074.D
Acq On : 13 Aug 2018 17:51
Operator : MD/SY
Sample : J4402-07 10X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Aug 14 02:19:45 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 14 02:18:47 2018
Response via : Initial Calibration





#13

Acetone

Concen: 1.316 ug/L

RT: 2.32 min Scan# 538

Delta R.T. 0.00 min

Lab File: VU026074.D

Acq: 13 Aug 2018 17:51

Instrument :
MSVOA_U
ClientSampleId :

Tot Ion: 43 Resp: 1466

Ion Ratio Lower Upper

43 100

58 19.6 0.0 61.8

