

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU081318\
 Data File : VU026085.D
 Acq On : 13 Aug 2018 22:18
 Operator : MD/SY
 Sample : J4451-07 10X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Aug 14 02:21:07 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 14 02:18:47 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	272154	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	255573	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	108530	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	81017	40.73	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	81.46%
7) Chloroethane-d5	1.67	69	69520	44.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	88.16%
11) 1,1-Dichloroethene-d2	2.27	63	120738	31.94	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.88%
21) 2-Butanone-d5	4.18	46	139816	84.33	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	84.33%
24) Chloroform-d	4.65	84	186271	44.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.32%
26) 1,2-Dichloroethane-d4	5.31	65	127789	44.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.68%
32) Benzene-d6	5.34	84	357527	45.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.10%
36) 1,2-Dichloropropane-d6	6.33	67	116580	45.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	90.80%
41) Toluene-d8	7.57	98	318393	41.93	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	83.86%
43) trans-1,3-Dichloropropene-	7.85	79	54674	42.26	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.52%
47) 2-Hexanone-d5	8.31	63	95482	81.86	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	81.86%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	162725	43.33	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	86.66%
64) 1,2-Dichlorobenzene-d4	11.86	152	124159	46.41	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.82%


Target Compounds					Ovalue
13) Acetone	2.32	43	1253	1.217 ug/L	74


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU081318\
Data File : VU026085.D
Acq On : 13 Aug 2018 22:18
Operator : MD/SY
Sample : J4451-07 10X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 33 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Aug 14 02:21:07 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 14 02:18:47 2018
Response via : Initial Calibration





#13
 Acetone
 Concen: 1.217 ug/L
 RT: 2.32 min Scan# 538
 Delta R.T. 0.00 min
 Lab File: VU026085.D
 Acq: 13 Aug 2018 22:18

Instrument :
 MSVOA_U
 ClientSampleId :

Tot Ion: 43 Resp: 1253
 Ion Ratio Lower Upper
 43 100
 58 16.4 0.0 61.8

