

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU081318\
 Data File : VU026088.D
 Acq On : 13 Aug 2018 23:30
 Operator : MD/SY
 Sample : J4451-14 10X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Aug 14 02:21:26 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 14 02:18:47 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	269532	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	257449	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	108147	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	80032	40.62	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	81.24%
7) Chloroethane-d5	1.67	69	67530	43.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.46%
11) 1,1-Dichloroethene-d2	2.27	63	119983	32.05	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.10%
21) 2-Butanone-d5	4.18	46	136848	83.34	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	83.34%
24) Chloroform-d	4.65	84	182739	43.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.48%
26) 1,2-Dichloroethane-d4	5.31	65	126519	44.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.66%
32) Benzene-d6	5.34	84	355327	44.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.90%
36) 1,2-Dichloropropane-d6	6.33	67	115609	44.69	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	89.38%
41) Toluene-d8	7.57	98	316783	41.42	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	82.84%
43) trans-1,3-Dichloropropene-	7.85	79	52909	40.60	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.20%
47) 2-Hexanone-d5	8.31	63	92521	78.75	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	78.75%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	160608	42.46	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	84.92%
64) 1,2-Dichlorobenzene-d4	11.86	152	123231	46.22	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.44%


Target Compounds					Ovalue
13) Acetone	2.32	43	1434	1.406 ug/L	65


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU081318\
Data File : VU026088.D
Acq On : 13 Aug 2018 23:30
Operator : MD/SY
Sample : J4451-14 10X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 36 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Aug 14 02:21:26 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 14 02:18:47 2018
Response via : Initial Calibration





#13
 Acetone
 Concen: 1.406 ug/L
 RT: 2.32 min Scan# 538
 Delta R.T. 0.00 min
 Lab File: VU026088.D
 Acq: 13 Aug 2018 23:30

Instrument :
 MSVOA_U
 ClientSampleId :

Tot Ion: 43 Resp: 1434
 Ion Ratio Lower Upper
 43 100
 58 11.8 0.0 61.8

