

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU081318\
 Data File : VU026079.D
 Acq On : 13 Aug 2018 19:52
 Operator : MD/SY
 Sample : J4402-11 10X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A4ZJ0

Quant Time: Aug 14 02:20:23 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 14 02:18:47 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	279461	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	263098	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	114317	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	83838	41.04	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	82.08%
7) Chloroethane-d5	1.67	69	69949	43.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.38%
11) 1,1-Dichloroethene-d2	2.27	63	122853	31.65	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.30%
21) 2-Butanone-d5	4.18	46	146521	86.06	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	86.06%
24) Chloroform-d	4.65	84	187396	43.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.52%
26) 1,2-Dichloroethane-d4	5.31	65	129687	44.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.64%
32) Benzene-d6	5.34	84	362508	44.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.74%
36) 1,2-Dichloropropane-d6	6.33	67	119723	45.29	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	90.58%
41) Toluene-d8	7.57	98	328790	42.06	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	84.12%
43) trans-1,3-Dichloropropene-	7.85	79	56867	42.70	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.40%
47) 2-Hexanone-d5	8.31	63	101481	84.52	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	84.52%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	166572	43.09	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	86.18%
64) 1,2-Dichlorobenzene-d4	11.86	152	130327	46.25	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.50%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU081318\
Data File : VU026079.D
Acq On : 13 Aug 2018 19:52
Operator : MD/SY
Sample : J4402-11 10X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A4ZJ0

Quant Time: Aug 14 02:20:23 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 14 02:18:47 2018
Response via : Initial Calibration

