

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU081318\
 Data File : VU026080.D
 Acq On : 13 Aug 2018 20:16
 Operator : MD/SY
 Sample : J4402-12 10X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A4ZJ1

Quant Time: Aug 14 02:46:14 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 14 02:18:47 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	280605	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	261351	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	111122	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	80804	39.39	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	78.78%
7) Chloroethane-d5	1.68	69	67792	41.69	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	83.38%
11) 1,1-Dichloroethene-d2	2.27	63	126667	32.50	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.00%
21) 2-Butanone-d5	4.18	46	144504	84.53	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	84.53%
24) Chloroform-d	4.65	84	185695	42.69	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.38%
26) 1,2-Dichloroethane-d4	5.31	65	125803	42.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.64%
32) Benzene-d6	5.35	84	355351	43.79	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.58%
36) 1,2-Dichloropropane-d6	6.33	67	118715	45.21	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	90.42%
41) Toluene-d8	7.57	98	323445	41.66	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	83.32%
43) trans-1,3-Dichloropropene-	7.85	79	55945	42.29	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.58%
47) 2-Hexanone-d5	8.31	63	97395	81.66	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	81.66%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	163385	42.55	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	85.10%
64) 1,2-Dichlorobenzene-d4	11.86	152	127383	46.50	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.00%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU081318\
Data File : VU026080.D
Acq On : 13 Aug 2018 20:16
Operator : MD/SY
Sample : J4402-12 10X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A4ZJ1

Quant Time: Aug 14 02:46:14 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 14 02:18:47 2018
Response via : Initial Calibration

