

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU081319\
 Data File : VU033782.D
 Acq On : 13 Aug 2019 15:36
 Operator : JC/SP
 Sample : VU0813MBL01
 Misc : 5.00g/5mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK52

Quant Time: Aug 14 04:32:51 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SFAMULM081319W.M
 Quant Title : VOC Analysis
 QLast Update : Wed Aug 14 04:23:45 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	440956	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	422573	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.47	152	196794	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	185437	44.28	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	88.56%
7) Chloroethane-d5	1.67	69	175524	45.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	90.00%
11) 1,1-Dichloroethene-d2	2.26	63	239663	35.04	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	70.08%
21) 2-Butanone-d5	4.15	46	243865	104.67	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.67%
24) Chloroform-d	4.62	84	291981	44.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.28%
26) 1,2-Dichloroethane-d4	5.28	65	191875	47.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.78%
32) Benzene-d6	5.32	84	594615	49.12	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.24%
36) 1,2-Dichloropropane-d6	6.31	67	191810	49.03	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.06%
41) Toluene-d8	7.55	98	536914	47.56	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.12%
43) trans-1,3-Dichloropropene-	7.83	79	91691	49.11	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	98.22%
47) 2-Hexanone-d5	8.30	63	176439	112.71	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	112.71%
56) 1,1,2,2-Tetrachloroethane-	10.41	84	267925	47.99	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.98%
66) 1,2-Dichlorobenzene-d4	11.84	152	205866	51.79	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.58%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU081319\
Data File : VU033782.D
Acq On : 13 Aug 2019 15:36
Operator : JC/SP
Sample : VU0813MBL01
Misc : 5.00µ/5mL/100µL/5.0mL/MSVOA_U/MEOH
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK52

Quant Time: Aug 14 04:32:51 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SFAMULM081319W.M
Quant Title : VOC Analysis
QLast Update : Wed Aug 14 04:23:45 2019
Response via : Initial Calibration

