

Data Path : \\74.0.250.170\TERASTORAGE\VOASRV\HPCHEM1\MSVOA_U\DATA\VU081418\
 Data File : VU026096.D
 Acq On : 14 Aug 2018 12:59
 Operator : MD/SY
 Sample : J4451-18 10X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A4ZK6

Quant Time: Aug 14 13:30:09 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Aug 11 00:58:27 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	271567	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	255086	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	111913	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	84287	42.46	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.92%
7) Chloroethane-d5	1.68	69	74135	47.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	94.22%
11) 1,1-Dichloroethene-d2	2.27	63	128361	34.03	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.06%
21) 2-Butanone-d5	4.17	46	147090	88.91	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	88.91%
24) Chloroform-d	4.65	84	199992	47.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.02%
26) 1,2-Dichloroethane-d4	5.31	65	136796	48.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.22%
32) Benzene-d6	5.34	84	382876	48.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.68%
36) 1,2-Dichloropropane-d6	6.33	67	124989	48.77	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.54%
41) Toluene-d8	7.57	98	347615	45.87	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.74%
43) trans-1,3-Dichloropropene-	7.85	79	61321	47.49	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.98%
47) 2-Hexanone-d5	8.31	63	99792	85.72	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	85.72%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	173553	46.30	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.60%
64) 1,2-Dichlorobenzene-d4	11.86	152	139680	50.63	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.26%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\TERASTORAGE\VOASRV\HPCHEM1\MSVOA_U\DATA\VU081418\
Data File : VU026096.D
Acq On : 14 Aug 2018 12:59
Operator : MD/SY
Sample : J4451-18 10X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A4ZK6

Quant Time: Aug 14 13:30:09 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Aug 11 00:58:27 2018
Response via : Initial Calibration

