

Data Path : \\74.0.250.170\TERASTORAGE\VOASRV\HPCHEM1\MSVOA_U\DATA\VU081418\
 Data File : VU026109.D
 Acq On : 14 Aug 2018 18:43
 Operator : MD/SY
 Sample : J4451-18
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A4ZK6

Quant Time: Aug 14 19:52:21 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 14 02:18:47 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	251652	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	237516	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	99887	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	73413	39.91	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	79.82%
7) Chloroethane-d5	1.68	69	65786	45.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	90.22%
11) 1,1-Dichloroethene-d2	2.27	63	112672	32.23	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.46%
21) 2-Butanone-d5	4.18	46	149942	97.80	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.80%
24) Chloroform-d	4.65	84	187579	48.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.18%
26) 1,2-Dichloroethane-d4	5.31	65	128831	48.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.78%
32) Benzene-d6	5.35	84	351496	47.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.32%
36) 1,2-Dichloropropane-d6	6.33	67	119143	49.92	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.84%
41) Toluene-d8	7.57	98	316299	44.83	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.66%
43) trans-1,3-Dichloropropene-	7.85	79	57025	47.43	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.86%
47) 2-Hexanone-d5	8.31	63	100704	92.91	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	92.91%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	171987	49.28	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.56%
64) 1,2-Dichlorobenzene-d4	11.86	152	127492	51.78	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.56%


Target Compounds					Qvalue
13) Acetone	2.32	43	1357	1.425 ug/L	81


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\TERASTORAGE\VOASRV\HPCHEM1\MSVOA_U\DATA\VU081418\
Data File : VU026109.D
Acq On : 14 Aug 2018 18:43
Operator : MD/SY
Sample : J4451-18
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A4ZK6

Quant Time: Aug 14 19:52:21 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 14 02:18:47 2018
Response via : Initial Calibration





#13

Acetone

Concen: 1.425 ug/L

RT: 2.32 min Scan# 538

Delta R.T. -0.00 min

Lab File: VU026109.D

Acq: 14 Aug 2018 18:43

Instrument :
MSVOA_U
ClientSampleId :
A4ZK6

Tgt Ion: 43 Resp: 1357

Ion Ratio Lower Upper

43 100

58 20.3 0.0 61.8

