

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU081418\
 Data File : VU026119.D
 Acq On : 14 Aug 2018 23:10
 Operator : MD/SY
 Sample : J4402-07
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A4ZH6

Quant Time: Aug 16 01:57:09 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 16 01:50:34 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	256800	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	238768	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	105765	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	61851	32.95	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	65.90%
7) Chloroethane-d5	1.68	69	57649	38.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	77.48%
11) 1,1-Dichloroethene-d2	2.27	63	97992	27.47	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	54.94%#
21) 2-Butanone-d5	4.18	46	153717	98.25	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.25%
24) Chloroform-d	4.65	84	166196	41.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	83.50%
26) 1,2-Dichloroethane-d4	5.31	65	114743	42.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.34%
32) Benzene-d6	5.35	84	306743	41.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	82.74%
36) 1,2-Dichloropropane-d6	6.33	67	104661	43.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	87.26%
41) Toluene-d8	7.57	98	271068	38.21	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	76.42%#
43) trans-1,3-Dichloropropene-	7.85	79	49526	40.97	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.94%
47) 2-Hexanone-d5	8.31	63	109574	100.56	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.56%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	163842	46.70	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.40%
64) 1,2-Dichlorobenzene-d4	11.86	152	117049	44.89	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.78%

Target Compounds

					Ovalue
51) Chlorobenzene	9.12	112	51017	10.48	ug/L 98
62) 1,3-Dichlorobenzene	11.42	146	4456	1.35	ug/L 92
63) 1,4-Dichlorobenzene	11.51	146	15758	4.57	ug/L 96
65) 1,2-Dichlorobenzene	11.88	146	6693	1.91	ug/L # 88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU081418\
Data File : VU026119.D
Acq On : 14 Aug 2018 23:10
Operator : MD/SY
Sample : J4402-07
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A4ZH6

Quant Time: Aug 16 01:57:09 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 16 01:50:34 2018
Response via : Initial Calibration

