

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU081418\
 Data File : VU026093.D
 Acq On : 14 Aug 2018 10:57
 Operator : MD/SY
 Sample : VU0814WBL01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK51

Quant Time: Aug 15 18:20:30 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Aug 11 00:58:27 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	268329	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	249594	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	109685	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	83053	42.34	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.68%
7) Chloroethane-d5	1.68	69	70069	45.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	90.12%
11) 1,1-Dichloroethene-d2	2.27	63	124588	33.43	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.86%
21) 2-Butanone-d5	4.18	46	141551	86.59	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	86.59%
24) Chloroform-d	4.65	84	193123	46.43	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.86%
26) 1,2-Dichloroethane-d4	5.31	65	132465	47.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.30%
32) Benzene-d6	5.34	84	373413	48.18	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.36%
36) 1,2-Dichloropropane-d6	6.33	67	122987	49.04	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.08%
41) Toluene-d8	7.57	98	337950	45.58	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.16%
43) trans-1,3-Dichloropropene-	7.85	79	59301	46.93	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.86%
47) 2-Hexanone-d5	8.31	63	97534	85.63	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	85.63%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	168075	45.83	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.66%
64) 1,2-Dichlorobenzene-d4	11.86	152	135076	49.96	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.92%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU081418\
Data File : VU026093.D
Acq On : 14 Aug 2018 10:57
Operator : MD/SY
Sample : VU0814WBL01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK51

Quant Time: Aug 15 18:20:30 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Aug 11 00:58:27 2018
Response via : Initial Calibration

