

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU081418\
 Data File : VU026106.D
 Acq On : 14 Aug 2018 17:30
 Operator : MD/SY
 Sample : J4451-19
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A4ZK7

Quant Time: Aug 16 01:37:24 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 16 01:12:07 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	257212	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	240094	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	104615	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	75626	40.22	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	80.44%
7) Chloroethane-d5	1.68	69	66767	44.79	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.58%
11) 1,1-Dichloroethene-d2	2.27	63	115320	32.28	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.56%
21) 2-Butanone-d5	4.18	46	153408	97.90	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.90%
24) Chloroform-d	4.65	84	189439	47.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.04%
26) 1,2-Dichloroethane-d4	5.31	65	131129	48.69	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.38%
32) Benzene-d6	5.35	84	365465	49.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.04%
36) 1,2-Dichloropropane-d6	6.33	67	119060	49.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.70%
41) Toluene-d8	7.57	98	324080	45.43	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.86%
43) trans-1,3-Dichloropropene-	7.85	79	56163	46.21	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.42%
47) 2-Hexanone-d5	8.31	63	104700	95.56	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	95.56%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	175219	49.67	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.34%
64) 1,2-Dichlorobenzene-d4	11.86	152	134357	52.10	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.20%


Target Compounds					Ovalue
13) Acetone	2.32	43	15882	16.32 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU081418\
Data File : VU026106.D
Acq On : 14 Aug 2018 17:30
Operator : MD/SY
Sample : J4451-19
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A4ZK7

Quant Time: Aug 16 01:37:24 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 16 01:12:07 2018
Response via : Initial Calibration





#13

Acetone

Concen: 16.32 ug/L

RT: 2.32 min Scan# 538

Delta R.T. -0.00 min

Lab File: VU026106.D

Acq: 14 Aug 2018 17:30

Instrument :
MSVOA_U
ClientSampleId :
A4ZK7

Tot Ion: 43 Resp: 15882

Ion Ratio Lower Upper

43 100

58 28.0 0.0 61.8

