

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU081418\
 Data File : VU026110.D
 Acq On : 14 Aug 2018 19:07
 Operator : MD/SY
 Sample : J4451-13
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A4ZK3

Quant Time: Aug 16 01:12:48 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 16 01:12:07 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	256569	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	242192	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	99396	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	76042	40.55	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	81.10%
7) Chloroethane-d5	1.68	69	66636	44.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.64%
11) 1,1-Dichloroethene-d2	2.27	63	117408	32.95	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.90%
21) 2-Butanone-d5	4.18	46	147448	94.33	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.33%
24) Chloroform-d	4.65	84	188226	47.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.66%
26) 1,2-Dichloroethane-d4	5.31	65	129200	48.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.18%
32) Benzene-d6	5.35	84	358696	47.70	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.40%
36) 1,2-Dichloropropane-d6	6.33	67	116342	47.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.62%
41) Toluene-d8	7.57	98	316443	43.98	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.96%
43) trans-1,3-Dichloropropene-	7.85	79	53421	43.57	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.14%
47) 2-Hexanone-d5	8.31	63	98423	89.05	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	89.05%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	168709	47.41	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.82%
64) 1,2-Dichlorobenzene-d4	11.86	152	125899	51.38	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.76%


Target Compounds					Ovalue
13) Acetone	2.32	43	3975	4.09 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU081418\
Data File : VU026110.D
Acq On : 14 Aug 2018 19:07
Operator : MD/SY
Sample : J4451-13
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A4ZK3

Quant Time: Aug 16 01:12:48 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 16 01:12:07 2018
Response via : Initial Calibration





#13

Acetone

Concen: 4.09 ug/L

RT: 2.32 min Scan# 538

Delta R.T. -0.00 min

Lab File: VU026110.D

Acq: 14 Aug 2018 19:07

Instrument :

MSVOA_U

ClientSampleId :

A4ZK3

Tot Ion: 43 Resp: 3975

Ion Ratio Lower Upper

43 100

58 27.4 0.0 61.8

