

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU081418\
 Data File : VU026108.D
 Acq On : 14 Aug 2018 18:19
 Operator : MD/SY
 Sample : J4451-21
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A4ZK9

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	0.612	6	7	11	rBV	89	69	0.01%	0.001%
2	0.638	11	15	17	rBV	266	221	0.02%	0.003%
3	0.696	31	33	36	rVB	211	123	0.01%	0.001%
4	0.741	44	47	48	rBV	196	120	0.01%	0.001%
5	0.751	48	50	57	rVB2	387	353	0.03%	0.004%
6	0.802	62	66	69	rBV2	383	342	0.03%	0.004%
7	0.825	69	73	75	rVB	336	251	0.02%	0.003%
8	0.841	76	78	81	rBV2	104	57	0.01%	0.001%
9	0.973	117	119	120	rVB2	92	33	0.00%	0.000%
10	0.985	120	123	126	rBV2	337	204	0.02%	0.002%
11	1.011	129	131	133	rBV	192	97	0.01%	0.001%
12	1.088	142	155	173	rBV	109951	133549	12.41%	1.622%
13	1.400	245	252	266	rVB	115258	121139	11.26%	1.471%
14	1.680	331	339	353	rVB	92443	121348	11.28%	1.474%
15	2.272	514	523	533	rBV	203081	309278	28.74%	3.756%
16	2.619	627	631	634	rBV2	810	740	0.07%	0.009%
17	2.651	638	641	644	rBV	316	245	0.02%	0.003%
18	2.764	674	676	678	rBV2	316	168	0.02%	0.002%
19	2.809	687	690	691	rBV2	798	472	0.04%	0.006%
20	2.918	721	724	726	rBV	371	304	0.03%	0.004%
21	2.950	732	734	735	rBV	315	150	0.01%	0.002%
22	3.011	751	753	759	rVB3	563	482	0.04%	0.006%
23	3.072	765	772	775	rBV	392	539	0.05%	0.007%
24	3.259	827	830	835	rVB2	297	292	0.03%	0.004%
25	3.284	835	838	839	rBV	192	102	0.01%	0.001%
26	3.300	840	843	845	rBV	249	158	0.01%	0.002%
27	3.358	859	861	863	rBV2	211	112	0.01%	0.001%
28	3.413	875	878	879	rBV2	232	117	0.01%	0.001%
29	3.500	901	905	912	rBV2	419	542	0.05%	0.007%
30	3.596	932	935	939	rBV2	299	241	0.02%	0.003%
31	3.670	956	958	961	rVB	193	122	0.01%	0.001%
32	3.731	974	977	980	rVB	346	209	0.02%	0.003%
33	3.751	980	983	986	rBV	309	253	0.02%	0.003%
34	3.812	999	1002	1003	rBV	88	55	0.01%	0.001%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU081418\
 Data File : VU026108.D
 Acq On : 14 Aug 2018 18:19
 Operator : MD/SY
 Sample : J4451-21
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A4ZK9

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
 Title : VOC Analysis

35	3.821	1003	1005	1006	rBV	318	142	0.01%	0.002%
36	3.853	1013	1015	1016	rBV	260	86	0.01%	0.001%
37	3.876	1020	1022	1026	rVB2	194	110	0.01%	0.001%
38	3.895	1026	1028	1031	rVB	235	110	0.01%	0.001%
39	3.921	1031	1036	1039	rBV	656	700	0.07%	0.009%
40	4.059	1076	1079	1082	rBV3	276	242	0.02%	0.003%
41	4.104	1091	1093	1096	rVB	234	102	0.01%	0.001%
42	4.178	1101	1116	1139	rBV	92152	239209	22.23%	2.905%
43	4.477	1207	1209	1211	rBV	178	109	0.01%	0.001%
44	4.522	1220	1223	1225	rVB2	357	192	0.02%	0.002%
45	4.651	1247	1263	1286	rBV	188371	442947	41.16%	5.380%
46	4.873	1328	1332	1333	rBV2	648	388	0.04%	0.005%
47	4.976	1361	1364	1368	rBV4	707	623	0.06%	0.008%
48	5.124	1403	1410	1414	rBV3	486	755	0.07%	0.009%
49	5.197	1430	1433	1436	rBV	431	287	0.03%	0.003%
50	5.233	1442	1444	1445	rBV	148	36	0.00%	0.000%
51	5.259	1450	1452	1454	rBV	343	197	0.02%	0.002%
52	5.342	1454	1478	1503	rBV2	353426	1076184	100.00%	13.071%
53	5.574	1548	1550	1553	rVB	352	178	0.02%	0.002%
54	5.596	1554	1557	1559	rBV	303	177	0.02%	0.002%
55	5.699	1585	1589	1594	rBV2	233	299	0.03%	0.004%
56	5.751	1601	1605	1608	rBV2	614	544	0.05%	0.007%
57	5.824	1625	1628	1633	rBV2	282	211	0.02%	0.003%
58	5.889	1633	1648	1670	rBV	327009	633582	58.87%	7.695%
59	6.066	1701	1703	1706	rBV2	355	174	0.02%	0.002%
60	6.146	1724	1728	1729	rBV	297	172	0.02%	0.002%
61	6.220	1749	1751	1754	rBV	342	232	0.02%	0.003%
62	6.332	1772	1786	1805	rBV	248373	494362	45.94%	6.004%
63	6.493	1832	1836	1839	rBV2	701	465	0.04%	0.006%
64	6.548	1851	1853	1854	rBV	260	74	0.01%	0.001%
65	6.635	1878	1880	1883	rVB	432	182	0.02%	0.002%
66	6.657	1883	1887	1890	rBV2	351	214	0.02%	0.003%
67	6.683	1892	1895	1897	rBV	221	148	0.01%	0.002%
68	6.728	1905	1909	1911	rBV2	328	246	0.02%	0.003%
69	6.863	1943	1951	1965	rVB6	1494	3226	0.30%	0.039%
70	6.963	1979	1982	1986	rBV	359	239	0.02%	0.003%
71	7.120	2028	2031	2035	rBV2	340	243	0.02%	0.003%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU081418\
 Data File : VU026108.D
 Acq On : 14 Aug 2018 18:19
 Operator : MD/SY
 Sample : J4451-21
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A4ZK9

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
 Title : VOC Analysis

72	7.230	2052	2065	2082	rBV	137099	245404	22.80%	2.981%
73	7.516	2151	2154	2157	rBV2	323	284	0.03%	0.003%
74	7.567	2158	2170	2188	rVV	475202	822314	76.41%	9.988%
75	7.850	2247	2258	2273	rBV	99963	170828	15.87%	2.075%
76	8.114	2338	2340	2343	rVB2	518	294	0.03%	0.004%
77	8.139	2343	2348	2349	rBV2	576	433	0.04%	0.005%
78	8.184	2350	2362	2379	rBV2	39740	109614	10.19%	1.331%
79	8.313	2394	2402	2430	rVB	293104	508017	47.21%	6.170%
80	8.525	2464	2468	2470	rVB2	334	200	0.02%	0.002%
81	8.609	2492	2494	2500	rBV2	337	224	0.02%	0.003%
82	8.773	2542	2545	2547	rBV2	261	200	0.02%	0.002%
83	8.808	2553	2556	2557	rBV	385	246	0.02%	0.003%
84	8.905	2579	2586	2588	rBV3	540	512	0.05%	0.006%
85	8.966	2601	2605	2607	rVB	336	218	0.02%	0.003%
86	8.982	2607	2610	2611	rBV	208	117	0.01%	0.001%
87	9.091	2630	2644	2666	rBV	450777	756056	70.25%	9.183%
88	9.525	2776	2779	2782	rBV2	302	249	0.02%	0.003%
89	9.770	2853	2855	2856	rBV2	605	292	0.03%	0.004%
90	9.911	2897	2899	2901	rBV2	431	240	0.02%	0.003%
91	10.435	3050	3062	3078	rBV	355423	568805	52.85%	6.908%
92	10.615	3107	3118	3135	rVB2	17698	33364	3.10%	0.405%
93	10.930	3213	3216	3220	rBV2	388	305	0.03%	0.004%
94	11.413	3356	3366	3371	rBV5	1012	1656	0.15%	0.020%
95	11.487	3376	3389	3409	rBV	409381	655173	60.88%	7.957%
96	11.760	3468	3474	3481	rBV5	2656	4519	0.42%	0.055%
97	11.863	3494	3506	3530	rBV	465743	761758	70.78%	9.252%
98	12.483	3694	3699	3707	rVB3	1675	2232	0.21%	0.027%


Sum of corrected areas: 8233428

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU081418\
Data File : VU026108.D
Acq On : 14 Aug 2018 18:19
Operator : MD/SY
Sample : J4451-21
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A4ZK9

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU081418\
Data File : VU026108.D
Acq On : 14 Aug 2018 18:19
Operator : MD/SY
Sample : J4451-21
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A4ZK9

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU081418\
Data File : VU026108.D
Acq On : 14 Aug 2018 18:19
Operator : MD/SY
Sample : J4451-21
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A4ZK9

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM080918WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc
