

Data File : VU039861.D
Acq On : 14 Aug 2020 15:44
Operator : SY/MD
Sample : L3683-03DL 5X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BG0B4DL

Quant Time: Aug 17 05:31:37 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR080320WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Aug 17 05:23:17 2020
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	79327	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	75866	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	36723	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	17226	4.02	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	80.40%
7) Chloroethane-d5	1.92	69	18574	4.01	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	80.20%
11) 1,1-Dichloroethene-d2	2.58	63	26445	3.07	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	61.40%
20) 2-Butanone-d5	4.66	46	90389	47.98	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	95.96%
24) Chloroform-d	5.08	84	45995	4.30	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.00%
26) 1,2-Dichloroethane-d4	5.72	65	27484	4.31	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.20%
32) Benzene-d6	5.75	84	81667	4.53	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.60%
36) 1,2-Dichloropropane-d6	6.70	67	27606	4.47	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	89.40%
41) Toluene-d8	7.91	98	65519	4.09	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	81.80%
43) trans-1,3-Dichloropropene-	8.18	79	11168	4.71	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	94.20%
46) 2-Hexanone-d5	8.64	63	66159	51.59	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	103.18%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	25925	4.31	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	86.20%
64) 1,2-Dichlorobenzene-d4	12.19	152	31006	4.93	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	98.60%


Target Compounds					Qvalue
22) cis-1,2-Dichloroethene	4.69	96	27004	4.713 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VU039861.D
Acq On : 14 Aug 2020 15:44
Operator : SY/MD
Sample : L3683-03DL 5X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BG0B4DL

Quant Time: Aug 17 05:31:37 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR080320WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Aug 17 05:23:17 2020
Response via : Initial Calibration





#22

cis-1,2-Dichloroethene

Concen: 4.713 ug/L

RT: 4.69 min Scan# 1041

Delta R.T. 0.01 min

Lab File: VU039861.D

Acq: 14 Aug 2020 15:44

Instrument :

MSVOA_U

ClientSampleId :

BG0B4DL

Tgt Ion: 96 Resp: 27004

Ion Ratio Lower Upper

96 100

61 128.3 87.4 162.2

68 0.0 0.0 0.0

