

Data File : VU026137.D
Acq On : 15 Aug 2018 11:21
Operator : MD/SY
Sample : VU0815MBL01
Misc : 5.00g/10mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK54

Quant Time: Aug 16 02:21:19 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM081518WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 16 02:19:07 2018
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	308504	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	286544	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	123870	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	85324	47.10	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	94.20%
7) Chloroethane-d5	1.67	69	72094	48.42	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	96.84%
11) 1,1-Dichloroethene-d2	2.27	63	129185	36.32	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.64%
21) 2-Butanone-d5	4.18	46	137374	98.83	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.83%
24) Chloroform-d	4.65	84	191817	47.27	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.54%
26) 1,2-Dichloroethane-d4	5.31	65	128474	48.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.76%
32) Benzene-d6	5.34	84	372767	50.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.92%
36) 1,2-Dichloropropane-d6	6.33	67	120611	49.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.32%
41) Toluene-d8	7.57	98	342351	48.41	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.82%
43) trans-1,3-Dichloropropene-	7.85	79	58101	50.52	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	101.04%
47) 2-Hexanone-d5	8.31	63	99984	100.48	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.48%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	161710	47.31	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.62%
64) 1,2-Dichlorobenzene-d4	11.86	152	131461	51.00	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.00%


Target Compounds					Qvalue
59) 1,2,3-Trichloropropane	11.49	75	14343	5.373 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VU026137.D
Acq On : 15 Aug 2018 11:21
Operator : MD/SY
Sample : VU0815MBL01
Misc : 5.00g/10mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK54

Quant Time: Aug 16 02:21:19 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM081518WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 16 02:19:07 2018
Response via : Initial Calibration





#59
 1,2,3-Trichloropropane
 Concen: 5.373 ug/L
 RT: 11.49 min Scan# 3389
 Delta R.T. 0.99 min
 Lab File: VU026137.D
 Acq: 15 Aug 2018 11:21

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK54

Tgt Ion: 75 Resp: 14343
 Ion Ratio Lower Upper
 75 100
 77 38.4 26.1 39.1

