

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU081518\
 Data File : VU026139.D
 Acq On : 15 Aug 2018 12:09
 Operator : MD/SY
 Sample : J4402-03
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Aug 16 03:29:25 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM081518WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 16 02:19:07 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	292551	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	273476	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	117128	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	81979	47.72	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	95.44%
7) Chloroethane-d5	1.67	69	69050	48.90	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	97.80%
11) 1,1-Dichloroethene-d2	2.27	63	123491	36.61	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.22%
21) 2-Butanone-d5	4.18	46	139914	106.15	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	106.15%
24) Chloroform-d	4.65	84	182280	47.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.74%
26) 1,2-Dichloroethane-d4	5.31	65	125557	49.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.72%
32) Benzene-d6	5.35	84	361859	51.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.64%
36) 1,2-Dichloropropane-d6	6.33	67	116514	50.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.52%
41) Toluene-d8	7.57	98	329486	48.82	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.64%
43) trans-1,3-Dichloropropene-	7.85	79	55465	50.54	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	101.08%
47) 2-Hexanone-d5	8.31	63	100905	106.25	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	106.25%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	159883	49.01	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.02%
64) 1,2-Dichlorobenzene-d4	11.86	152	126509	51.90	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.80%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU081518\
Data File : VU026139.D
Acq On : 15 Aug 2018 12:09
Operator : MD/SY
Sample : J4402-03
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Aug 16 03:29:25 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM081518WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 16 02:19:07 2018
Response via : Initial Calibration

