

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU081518\
 Data File : VU026151.D
 Acq On : 15 Aug 2018 17:08
 Operator : MD/SY
 Sample : J4422-18
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AC1

Quant Time: Aug 16 04:35:56 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM081518WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 16 02:19:07 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.89	114	285388	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	269117	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	111486	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	76334	45.55	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	91.10%
7) Chloroethane-d5	1.68	69	64647	46.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.86%
11) 1,1-Dichloroethene-d2	2.27	63	117231	35.62	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.24%
21) 2-Butanone-d5	4.18	46	139482	108.48	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	108.48%
24) Chloroform-d	4.65	84	180593	48.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.22%
26) 1,2-Dichloroethane-d4	5.31	65	121600	49.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.00%
32) Benzene-d6	5.35	84	347464	50.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.16%
36) 1,2-Dichloropropane-d6	6.33	67	114146	50.04	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.08%
41) Toluene-d8	7.57	98	314034	47.29	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.58%
43) trans-1,3-Dichloropropene-	7.85	79	53404	49.45	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	98.90%
47) 2-Hexanone-d5	8.31	63	100050	107.06	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	107.06%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	157022	48.91	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.82%
64) 1,2-Dichlorobenzene-d4	11.86	152	122082	52.62	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.24%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU081518\
Data File : VU026151.D
Acq On : 15 Aug 2018 17:08
Operator : MD/SY
Sample : J4422-18
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AC1

Quant Time: Aug 16 04:35:56 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM081518WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 16 02:19:07 2018
Response via : Initial Calibration

