

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU081524\
 Data File : VU060463.D
 Acq On : 15 Aug 2024 15:32
 Operator : MD/SY
 Sample : P3627-01
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DCYF9

Quant Time: Aug 16 04:56:55 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR080824WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Aug 16 04:55:30 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	84686	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	89783	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	37985	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	26143	3.933	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	78.600%
7) Chloroethane-d5	1.907	69	25108	4.189	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	83.800%
11) 1,1-Dichloroethene-d2	2.560	65	11651	4.118	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	82.400%
20) 2-Butanone-d5	4.631	46	61288	43.444	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	86.880%
24) Chloroform-d	5.055	84	57874	4.397	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.000%
26) 1,2-Dichloroethane-d4	5.698	65	28378	4.649	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.000%
32) Benzene-d6	5.721	84	109677	4.051	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	81.000%
36) 1,2-Dichloropropane-d6	6.685	67	35684	4.249	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	85.000%
41) Toluene-d8	7.894	98	90016	3.724	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	74.400%
43) trans-1,3-Dichloroprop...	8.177	79	11811	4.350	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	87.000%
46) 2-Hexanone-d5	8.631	63	44928	37.286	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	74.580%
56) 1,1,2,2-Tetrachloroeth...	10.753	84	28479	4.132	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	82.600%
66) 1,2-Dichlorobenzene-d4	12.190	152	33246	4.751	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	95.000%
Target Compounds						Qvalue
16) Methylene chloride	3.042	84	4037	0.509	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU081524\
Data File : VU060463.D
Acq On : 15 Aug 2024 15:32
Operator : MD/SY
Sample : P3627-01
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DCYF9

Quant Time: Aug 16 04:56:55 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR080824WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Aug 16 04:55:30 2024
Response via : Initial Calibration

