

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU081819\
 Data File : VU033833.D
 Acq On : 16 Aug 2019 14:08
 Operator : JC/SP
 Sample : K4369-07
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Aug 17 02:17:51 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM081619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Aug 17 02:15:05 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	360918	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	367267	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.47	152	157522	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	138485	42.65	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.30%
7) Chloroethane-d5	1.67	69	138953	45.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.50%
11) 1,1-Dichloroethene-d2	2.26	63	182575	33.64	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.28%
21) 2-Butanone-d5	4.15	46	188471	110.68	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	110.68%
24) Chloroform-d	4.62	84	250768	47.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.96%
26) 1,2-Dichloroethane-d4	5.29	65	163968	50.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.30%
32) Benzene-d6	5.32	84	486840	47.58	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.16%
36) 1,2-Dichloropropane-d6	6.31	67	162687	48.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.56%
41) Toluene-d8	7.55	98	423559	44.54	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.08%
43) trans-1,3-Dichloropropene-	7.83	79	70262	45.18	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.36%
47) 2-Hexanone-d5	8.30	63	125177	101.90	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	101.90%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	230241	49.94	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.88%
64) 1,2-Dichlorobenzene-d4	11.84	152	167477	53.35	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	106.70%


Target Compounds					Qvalue
59) 1,2,3-Trichloropropane	11.47	75	18308	4.975 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU081819\
Data File : VU033833.D
Acq On : 16 Aug 2019 14:08
Operator : JC/SP
Sample : K4369-07
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Aug 17 02:17:51 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM081619WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Aug 17 02:15:05 2019
Response via : Initial Calibration





#59
 1,2,3-Trichloropropane
 Concen: 4.975 ug/L
 RT: 11.47 min Scan# 3227
 Delta R.T. 0.99 min
 Lab File: VU033833.D
 Acq: 16 Aug 2019 14:08

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Tgt Ion: 75 Resp: 18308
 Ion Ratio Lower Upper
 75 100
 77 38.2 26.0 39.0

