

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU081921\
 Data File : VU044466.D
 Acq On : 19 Aug 2021 16:32
 Operator : SY/MD
 Sample : M3474-13
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AG1

Manual Integrations
 APPROVED

MMDadoda
 8/20/2021 12:49:16 PM

Quant Time: Aug 20 05:14:34 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR081821WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Aug 20 05:12:49 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.256	114	116543	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.423	117	116105	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.819	152	52334	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.600	65	39518	4.193	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	83.800%	
7) Chloroethane-d5	1.919	69	37122	4.532	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	90.600%	
11) 1,1-Dichloroethene-d2	2.571	65	18057	4.503	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	90.000%	
20) 2-Butanone-d5	4.642	46	128594m	49.331	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	98.660%	
24) Chloroform-d	5.073	84	74378	4.463	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	89.200%	
26) 1,2-Dichloroethane-d4	5.710	65	44050	4.847	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	97.000%	
32) Benzene-d6	5.735	84	152272	4.657	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	93.200%	
36) 1,2-Dichloropropane-d6	6.697	67	49127	4.697	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	94.000%	
41) Toluene-d8	7.906	98	126802	4.374	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	87.400%	
43) trans-1,3-Dichloroprop...	8.185	79	16479	4.387	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	87.800%	
46) 2-Hexanone-d5	8.645	63	104014	51.206	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	102.420%	
56) 1,1,2,2-Tetrachloroeth...	10.764	84	42618	4.838	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	96.800%	
66) 1,2-Dichlorobenzene-d4	12.198	152	43904	4.965	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	99.400%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU081921\
Data File : VU044466.D
Acq On : 19 Aug 2021 16:32
Operator : SY/MD
Sample : M3474-13
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AG1

Manual Integrations
APPROVED

MMDadoda
8/20/2021 12:49:16 PM

Quant Time: Aug 20 05:14:34 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR081821WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Aug 20 05:12:49 2021
Response via : Initial Calibration

