

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU082019\
 Data File : VU033859.D
 Acq On : 20 Aug 2019 17:23
 Operator : JC/SP
 Sample : K4395-02
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Aug 21 08:18:39 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR082019WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Aug 21 05:39:59 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	169374	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	181336	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.47	152	76985	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	63995	4.44	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	88.80%
7) Chloroethane-d5	1.67	69	61309	4.76	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	95.20%
11) 1,1-Dichloroethene-d2	2.26	63	108851	3.76	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	75.20%
20) 2-Butanone-d5	4.17	46	146788	51.30	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	102.60%
24) Chloroform-d	4.62	84	113921	4.74	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.80%
26) 1,2-Dichloroethane-d4	5.29	65	63384	4.88	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.60%
32) Benzene-d6	5.31	84	219105	4.83	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.60%
36) 1,2-Dichloropropane-d6	6.31	67	73603	4.97	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	99.40%
41) Toluene-d8	7.55	98	180735	4.27	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.40%
43) trans-1,3-Dichloropropene-	7.84	79	25145	4.42	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	88.40%
46) 2-Hexanone-d5	8.30	63	103988	51.27	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	102.54%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	66727	5.23	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	104.60%
64) 1,2-Dichlorobenzene-d4	11.84	152	75016	5.62	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	112.40%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU082019\
Data File : VU033859.D
Acq On : 20 Aug 2019 17:23
Operator : JC/SP
Sample : K4395-02
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Aug 21 08:18:39 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR082019WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Aug 21 05:39:59 2019
Response via : Initial Calibration

