

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU082021\
 Data File : VU044481.D
 Acq On : 20 Aug 2021 11:50
 Operator : SY/MD
 Sample : M3474-18
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AD1

Manual Integrations
 APPROVED

SAM
 8/23/2021 10:54:18 AM

Quant Time: Aug 21 02:47:28 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR081821WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Aug 21 02:45:30 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.256	114	115889	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.423	117	114219	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.819	152	51589	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	39307	4.194	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	83.800%	
7) Chloroethane-d5	1.916	69	37070	4.551	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	91.000%	
11) 1,1-Dichloroethene-d2	2.572	65	18164	4.556	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	91.200%	
20) 2-Butanone-d5	4.642	46	131626m	50.779	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	101.560%	
24) Chloroform-d	5.070	84	75928	4.581	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	91.600%	
26) 1,2-Dichloroethane-d4	5.710	65	44794	4.956	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	99.200%	
32) Benzene-d6	5.736	84	157433	4.895	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	97.800%	
36) 1,2-Dichloropropane-d6	6.697	67	50344	4.893	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	97.800%	
41) Toluene-d8	7.903	98	130267	4.568	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	91.400%	
43) trans-1,3-Dichloroprop...	8.186	79	17302	4.682	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	93.600%	
46) 2-Hexanone-d5	8.645	63	107481	53.787	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	107.580%	
56) 1,1,2,2-Tetrachloroeth...	10.764	84	42282	4.879	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	97.600%	
66) 1,2-Dichlorobenzene-d4	12.198	152	44453	5.100	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	102.000%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU082021\
Data File : VU044481.D
Acq On : 20 Aug 2021 11:50
Operator : SY/MD
Sample : M3474-18
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AD1

Manual Integrations
APPROVED

SAM
8/23/2021 10:54:18 AM

Quant Time: Aug 21 02:47:28 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR081821WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Aug 21 02:45:30 2021
Response via : Initial Calibration

