

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU082024\
 Data File : VU060487.D
 Acq On : 20 Aug 2024 13:55
 Operator : MD/SY
 Sample : P3627-06
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DCYG3

Quant Time: Aug 21 02:31:32 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR080824WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Aug 21 02:30:39 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	83685	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	90631	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	37318	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	23992	3.652	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	73.000%
7) Chloroethane-d5	1.911	69	23358	3.943	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	78.800%
11) 1,1-Dichloroethene-d2	2.560	65	11201	4.007	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	80.200%
20) 2-Butanone-d5	4.634	46	58599	42.034	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	84.060%
24) Chloroform-d	5.055	84	55421	4.261	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.200%
26) 1,2-Dichloroethane-d4	5.695	65	28501	4.725	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.600%
32) Benzene-d6	5.721	84	103619	3.791	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	75.800%
36) 1,2-Dichloropropane-d6	6.685	67	34194	4.033	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	80.600%
41) Toluene-d8	7.894	98	83049	3.403	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	68.000%#
43) trans-1,3-Dichloroprop...	8.177	79	10849	3.958	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	79.200%
46) 2-Hexanone-d5	8.631	63	41015	33.720	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	67.440%
56) 1,1,2,2-Tetrachloroeth...	10.749	84	26732	3.843	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	76.800%
66) 1,2-Dichlorobenzene-d4	12.190	152	30093	4.377	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	87.600%
Target Compounds						Qvalue
16) Methylene chloride	3.042	84	4477	0.571	ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU082024\
Data File : VU060487.D
Acq On : 20 Aug 2024 13:55
Operator : MD/SY
Sample : P3627-06
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DCYG3

Quant Time: Aug 21 02:31:32 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR080824WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Aug 21 02:30:39 2024
Response via : Initial Calibration

