

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU082024\
 Data File : VU060492.D
 Acq On : 20 Aug 2024 16:03
 Operator : MD/SY
 Sample : P3673-14
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DCYG8

Quant Time: Aug 21 02:32:45 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR080824WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Aug 21 02:30:39 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	84298	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	89762	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	37283	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	23615	3.569	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	71.400%
7) Chloroethane-d5	1.911	69	23456	3.931	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	78.600%
11) 1,1-Dichloroethene-d2	2.560	65	10844	3.851	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	77.000%
20) 2-Butanone-d5	4.634	46	61413	43.732	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	87.460%
24) Chloroform-d	5.055	84	56746	4.331	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.600%
26) 1,2-Dichloroethane-d4	5.695	65	29360	4.832	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.600%
32) Benzene-d6	5.721	84	104425	3.858	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	77.200%
36) 1,2-Dichloropropane-d6	6.682	67	34478	4.106	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	82.200%
41) Toluene-d8	7.891	98	84562	3.499	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	70.000%
43) trans-1,3-Dichloroprop...	8.177	79	10982	4.046	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	81.000%
46) 2-Hexanone-d5	8.627	63	43788	36.348	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	72.700%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	28496	4.136	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	82.800%
66) 1,2-Dichlorobenzene-d4	12.187	152	32765	4.771	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	95.400%
Target Compounds						
16) Methylene chloride	3.042	84	4716	0.597	ug/L	Qvalue 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU082024\
Data File : VU060492.D
Acq On : 20 Aug 2024 16:03
Operator : MD/SY
Sample : P3673-14
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DCYG8

Quant Time: Aug 21 02:32:45 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR080824WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Aug 21 02:30:39 2024
Response via : Initial Calibration

