

Data File : VU033888.D
Acq On : 21 Aug 2019 21:44
Operator : JC/SP
Sample : K4420-20
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F2B81

Quant Time: Aug 22 07:23:41 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM081619WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 22 07:18:35 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.87	114	382446	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	390010	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.47	152	163484	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	148815	43.25	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.50%
7) Chloroethane-d5	1.67	69	138494	43.03	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.06%
11) 1,1-Dichloroethene-d2	2.25	63	204007	35.48	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	70.96%
21) 2-Butanone-d5	4.15	46	187087	103.68	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	103.68%
24) Chloroform-d	4.62	84	258222	46.62	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.24%
26) 1,2-Dichloroethane-d4	5.28	65	176095	50.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.66%
32) Benzene-d6	5.32	84	509684	46.91	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.82%
36) 1,2-Dichloropropane-d6	6.31	67	172298	48.65	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.30%
41) Toluene-d8	7.55	98	441042	43.68	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.36%
43) trans-1,3-Dichloropropene-	7.83	79	71945	43.56	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.12%
47) 2-Hexanone-d5	8.30	63	124627	95.53	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	95.53%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	246424	50.34	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	100.68%
64) 1,2-Dichlorobenzene-d4	11.84	152	172512	52.95	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.90%


Target Compounds					Qvalue
25) Chloroform	4.65	83	6475	1.175 ug/L	89
39) cis-1,3-Dichloropropene	7.21	75	4465	0.950 ug/L #	65
59) 1,2,3-Trichloropropane	11.47	75	19450	4.977 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VU033888.D
Acq On : 21 Aug 2019 21:44
Operator : JC/SP
Sample : K4420-20
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F2B81

Quant Time: Aug 22 07:23:41 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM081619WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 22 07:18:35 2019
Response via : Initial Calibration









#25
Chloroform
Concen: 1.175 ug/L
RT: 4.65 min Scan# 1106
Delta R.T. 0.00 min
Lab File: VU033888.D
Acq: 21 Aug 2019 21:44




Instrument :
MSVOA_U
ClientSampleId :
F2B81


Tgt Ion: 83 Resp: 6475
Ion Ratio Lower Upper
83 100
85 75.2 46.3 86.1



#39
cis-1,3-Dichloropropene
Concen: 0.950 ug/L
RT: 7.21 min Scan# 1904
Delta R.T. -0.04 min
Lab File: VU033888.D
Acq: 21 Aug 2019 21:44

Tgt Ion: 75 Resp: 4465
Ion Ratio Lower Upper
75 100
77 51.5 22.5 41.7#





#59

1,2,3-Trichloropropane

Concen: 4.977 ug/L

RT: 11.47 min Scan# 3227

Delta R.T. 0.99 min

Lab File: VU033888.D

Acq: 21 Aug 2019 21:44

Instrument :

MSVOA_U

ClientSampleId :

F2B81

Tgt Ion: 75 Resp: 19450

Ion Ratio Lower Upper

75 100

77 35.4 26.0 39.0

