

Data File : VU033890.D
Acq On : 21 Aug 2019 22:31
Operator : JC/SP
Sample : K4454-02
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F2B83

Quant Time: Aug 22 07:23:54 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM081619WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 22 07:18:35 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	388318	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	401344	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.47	152	166707	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	149705	42.85	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.70%
7) Chloroethane-d5	1.67	69	137838	42.18	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	84.36%
11) 1,1-Dichloroethene-d2	2.25	63	202647	34.71	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.42%
21) 2-Butanone-d5	4.15	46	189553	103.46	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	103.46%
24) Chloroform-d	4.62	84	258850	46.03	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.06%
26) 1,2-Dichloroethane-d4	5.29	65	172298	48.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.96%
32) Benzene-d6	5.32	84	502680	44.96	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.92%
36) 1,2-Dichloropropane-d6	6.31	67	169335	46.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.92%
41) Toluene-d8	7.55	98	435509	41.91	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	83.82%
43) trans-1,3-Dichloropropene-	7.83	79	70015	41.19	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.38%
47) 2-Hexanone-d5	8.29	63	127210	94.76	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.76%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	245158	48.66	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.32%
64) 1,2-Dichlorobenzene-d4	11.84	152	171165	51.52	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.04%


Target Compounds					Qvalue
39) cis-1,3-Dichloropropene	7.21	75	3950	0.816 ug/L #	46
48) 2-Hexanone	8.30	43	16085	5.264 ug/L #	75
59) 1,2,3-Trichloropropane	11.47	75	19376	4.818 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VU033890.D
Acq On : 21 Aug 2019 22:31
Operator : JC/SP
Sample : K4454-02
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F2B83

Quant Time: Aug 22 07:23:54 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM081619WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 22 07:18:35 2019
Response via : Initial Calibration









#39
 cis-1,3-Dichloropropene
 Concen: 0.816 ug/L
 RT: 7.21 min Scan# 1903
 Delta R.T. -0.04 min
 Lab File: VU033890.D
 Acq: 21 Aug 2019 22:31




Instrument :
 MSVOA_U
 ClientSampleId :
 F2B83


Tgt Ion: 75 Resp: 3950
 Ion Ratio Lower Upper
 75 100
 77 62.0 22.5 41.7#



#48
 2-Hexanone
 Concen: 5.264 ug/L
 RT: 8.30 min Scan# 2241
 Delta R.T. -0.05 min
 Lab File: VU033890.D
 Acq: 21 Aug 2019 22:31

Tgt Ion: 43 Resp: 16085
 Ion Ratio Lower Upper
 43 100
 58 40.3 45.0 67.4#
 57 35.8 15.4 23.0#
 100 3.0 9.6 14.4#





#59
 1,2,3-Trichloropropane
 Concen: 4.818 ug/L
 RT: 11.47 min Scan# 3227
 Delta R.T. 0.99 min
 Lab File: VU033890.D
 Acq: 21 Aug 2019 22:31

Instrument :
 MSVOA_U
 ClientSampleId :
 F2B83

Tgt Ion: 75 Resp: 19376
 Ion Ratio Lower Upper
 75 100
 77 35.8 26.0 39.0

