

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU082119\
 Data File : VU033873.D
 Acq On : 21 Aug 2019 15:14
 Operator : JC/SP
 Sample : K4420-08
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F2B98

Quant Time: Aug 22 07:13:47 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM081619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 22 05:44:00 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.86	114	386962	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.07	117	394577	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.47	152	164406	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	161458	46.38	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.76%
7) Chloroethane-d5	1.67	69	148364	45.56	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.12%
11) 1,1-Dichloroethene-d2	2.25	63	221802	38.12	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	76.24%
21) 2-Butanone-d5	4.15	46	170918	93.61	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.61%
24) Chloroform-d	4.62	84	270418	48.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.52%
26) 1,2-Dichloroethane-d4	5.28	65	179847	51.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.62%
32) Benzene-d6	5.32	84	539938	49.12	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.24%
36) 1,2-Dichloropropane-d6	6.31	67	179666	50.14	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.28%
41) Toluene-d8	7.55	98	470180	46.02	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.04%
43) trans-1,3-Dichloropropene-	7.83	79	70912	42.44	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.88%
47) 2-Hexanone-d5	8.30	63	115541	87.54	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	87.54%
57) 1,1,2,2-Tetrachloroethane-	10.41	84	243300	49.12	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.24%
64) 1,2-Dichlorobenzene-d4	11.84	152	178950	54.61	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	109.22%


Target Compounds					Ovalue
20) cis-1,2-Dichloroethene	4.21	96	7826	2.595 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU082119\
Data File : VU033873.D
Acq On : 21 Aug 2019 15:14
Operator : JC/SP
Sample : K4420-08
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F2B98

Quant Time: Aug 22 07:13:47 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM081619WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 22 05:44:00 2019
Response via : Initial Calibration





#20
 cis-1,2-Dichloroethene
 Concen: 2.595 ug/L
 RT: 4.21 min Scan# 969
 Delta R.T. 0.01 min
 Lab File: VU033873.D
 Acq: 21 Aug 2019 15:14

Instrument :
 MSVOA_U
 ClientSampleId :
 F2B98

Tot Ion: 96 Resp: 7826
 Ion Ratio Lower Upper
 96 100
 61 132.1 88.2 163.8
 68 0.0 0.0 0.0

