

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU082119\
 Data File : VU033876.D
 Acq On : 21 Aug 2019 16:59
 Operator : JC/SP
 Sample : K4420-14
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F2B67

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM081619WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.389	86	93	106	rVB	237655	248008	15.99%	2.100%
2	1.669	173	180	192	rVB	206556	249415	16.08%	2.112%
3	2.257	353	363	373	rBV	346334	521273	33.60%	4.413%
4	2.604	466	471	473	rBV2	601	674	0.04%	0.006%
5	2.743	511	514	517	rBV2	425	298	0.02%	0.003%
6	2.807	526	534	536	rBV5	2565	3129	0.20%	0.026%
7	2.997	590	593	599	rVB2	424	376	0.02%	0.003%
8	3.022	599	601	605	rBV3	317	239	0.02%	0.002%
9	3.135	633	636	641	rBV3	251	226	0.01%	0.002%
10	3.193	651	654	657	rBV2	463	385	0.02%	0.003%
11	3.392	714	716	719	rBV	217	99	0.01%	0.001%
12	3.466	735	739	741	rBV2	326	270	0.02%	0.002%
13	3.498	747	749	752	rVB	353	162	0.01%	0.001%
14	3.514	752	754	755	rBV	17	6	0.00%	0.000%
15	3.527	755	758	759	rBV2	197	108	0.01%	0.001%
16	3.563	767	769	770	rBV2	219	100	0.01%	0.001%
17	3.576	770	773	776	rVV2	284	220	0.01%	0.002%
18	3.592	776	778	783	rVB	462	312	0.02%	0.003%
19	3.621	783	787	789	rBV2	522	341	0.02%	0.003%
20	3.637	789	792	794	rBV	225	122	0.01%	0.001%
21	3.653	794	797	800	rBV2	195	179	0.01%	0.002%
22	3.740	822	824	825	rBV	196	77	0.00%	0.001%
23	3.768	830	833	834	rBV	176	105	0.01%	0.001%
24	3.826	847	851	856	rVB2	414	393	0.03%	0.003%
25	3.852	856	859	861	rBV	267	180	0.01%	0.002%
26	3.903	873	875	878	rBV	222	145	0.01%	0.001%
27	3.932	882	884	885	rBV	222	55	0.00%	0.000%
28	4.151	940	952	983	rBV2	111455	327451	21.11%	2.772%
29	4.476	1051	1053	1057	rBV2	395	265	0.02%	0.002%
30	4.553	1074	1077	1081	rBV3	440	433	0.03%	0.004%
31	4.620	1082	1098	1124	rVV	262309	629455	40.57%	5.329%
32	5.013	1218	1220	1226	rVB4	428	271	0.02%	0.002%
33	5.132	1255	1257	1258	rBV4	244	103	0.01%	0.001%
34	5.238	1288	1290	1291	rBV	105	43	0.00%	0.000%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU082119\
 Data File : VU033876.D
 Acq On : 21 Aug 2019 16:59
 Operator : JC/SP
 Sample : K4420-14
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F2B67

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM081619WMA.M
 Title : VOC Analysis

35	5.315	1291	1314	1351	rBV2	516451	1551476	100.00%	13.135%
36	5.553	1386	1388	1391	rBV2	647	292	0.02%	0.002%
37	5.794	1461	1463	1467	rVB2	520	274	0.02%	0.002%
38	5.865	1471	1485	1516	rBV	474318	950559	61.27%	8.047%
39	6.151	1564	1574	1591	rVB3	20880	43674	2.81%	0.370%
40	6.309	1608	1623	1644	rBV	353992	716334	46.17%	6.065%
41	6.585	1706	1709	1710	rBV	284	142	0.01%	0.001%
42	6.685	1738	1740	1742	rBV	213	106	0.01%	0.001%
43	6.720	1747	1751	1755	rBV3	327	358	0.02%	0.003%
44	6.768	1761	1766	1767	rBV2	442	286	0.02%	0.002%
45	6.788	1769	1772	1773	rBV	751	433	0.03%	0.004%
46	6.845	1788	1790	1793	rBV2	460	290	0.02%	0.002%
47	6.897	1804	1806	1808	rVB2	332	131	0.01%	0.001%
48	6.939	1817	1819	1823	rVB	287	183	0.01%	0.002%
49	6.964	1823	1827	1829	rBV	310	201	0.01%	0.002%
50	6.981	1829	1832	1836	rVB2	345	248	0.02%	0.002%
51	7.000	1836	1838	1842	rBV2	522	275	0.02%	0.002%
52	7.026	1843	1846	1848	rBV2	223	136	0.01%	0.001%
53	7.071	1856	1860	1861	rBV2	291	200	0.01%	0.002%
54	7.154	1882	1886	1889	rBV2	327	266	0.02%	0.002%
55	7.209	1891	1903	1923	rBV	180121	332643	21.44%	2.816%
56	7.498	1991	1993	1994	rBV	436	130	0.01%	0.001%
57	7.546	1995	2008	2033	rBV	664797	1176904	75.86%	9.964%
58	7.833	2086	2097	2122	rBV	127535	227313	14.65%	1.924%
59	8.103	2179	2181	2182	rBV	306	126	0.01%	0.001%
60	8.138	2189	2192	2194	rBV	275	108	0.01%	0.001%
61	8.161	2194	2199	2202	rBV2	522	451	0.03%	0.004%
62	8.189	2205	2208	2209	rBV	287	171	0.01%	0.001%
63	8.296	2230	2241	2275	rBV2	330007	696321	44.88%	5.895%
64	8.579	2327	2329	2331	rBV2	372	197	0.01%	0.002%
65	8.794	2393	2396	2398	rVB3	385	189	0.01%	0.002%
66	8.807	2398	2400	2401	rBV	180	55	0.00%	0.000%
67	8.823	2401	2405	2409	rBV3	858	698	0.04%	0.006%
68	8.919	2431	2435	2442	rVB3	341	384	0.02%	0.003%
69	9.070	2466	2482	2523	rBV	729000	1219101	78.58%	10.321%
70	9.527	2621	2624	2627	rBV4	344	212	0.01%	0.002%
71	9.607	2645	2649	2652	rBV2	470	403	0.03%	0.003%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU082119\
 Data File : VU033876.D
 Acq On : 21 Aug 2019 16:59
 Operator : JC/SP
 Sample : K4420-14
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F2B67

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM081619WMA.M
 Title : VOC Analysis

72	9.720	2681	2684	2686	rBV	281	186	0.01%	0.002%
73	9.816	2712	2714	2717	rBV2	390	209	0.01%	0.002%
74	10.090	2797	2799	2802	rVB2	336	147	0.01%	0.001%
75	10.283	2855	2859	2860	rBV2	306	196	0.01%	0.002%
76	10.414	2887	2900	2922	rBV	462385	762844	49.17%	6.458%
77	10.633	2965	2968	2971	rVB2	364	225	0.01%	0.002%
78	10.752	3001	3005	3008	rBV3	737	554	0.04%	0.005%
79	10.890	3046	3048	3051	rBV	191	92	0.01%	0.001%
80	10.977	3071	3075	3080	rBV2	493	494	0.03%	0.004%
81	11.257	3159	3162	3165	rBV	662	456	0.03%	0.004%
82	11.395	3202	3205	3207	rBV3	790	632	0.04%	0.005%
83	11.466	3215	3227	3248	rBV	657536	1053928	67.93%	8.923%
84	11.842	3331	3344	3370	rBV	652866	1085724	69.98%	9.192%


Sum of corrected areas: 11811875

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU082119\
Data File : VU033876.D
Acq On : 21 Aug 2019 16:59
Operator : JC/SP
Sample : K4420-14
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F2B67

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM081619WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU082119\
Data File : VU033876.D
Acq On : 21 Aug 2019 16:59
Operator : JC/SP
Sample : K4420-14
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F2B67

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM081619WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU082119\
Data File : VU033876.D
Acq On : 21 Aug 2019 16:59
Operator : JC/SP
Sample : K4420-14
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F2B67

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM081619WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc