

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU082120\
 Data File : VU039938.D
 Acq On : 21 Aug 2020 19:14
 Operator : SY/MD
 Sample : L3776-16
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F4Y15

Manual Integrations
 APPROVED

sam
 8/24/2020 5:55:28 PM

Quant Time: Aug 22 02:47:28 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR081920WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Aug 22 00:45:05 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.26	114	79523	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.42	117	78491	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.81	152	30288	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.60	65	26820	3.87	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	77.40%
7) Chloroethane-d5	1.92	69	26975	4.69	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	93.80%
11) 1,1-Dichloroethene-d2	2.58	63	37203	2.77	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	55.40%#
20) 2-Butanone-d5	4.65	46	101659	45.79	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	91.58%
24) Chloroform-d	5.08	84	57056	4.55	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.00%
26) 1,2-Dichloroethane-d4	5.72	65	33122	4.46	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.20%
32) Benzene-d6	5.75	84	106564	4.56	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.20%
36) 1,2-Dichloropropane-d6	6.70	67	37144	4.82	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	96.40%
41) Toluene-d8	7.91	98	84536	4.13	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.60%
43) trans-1,3-Dichloropropene-	8.19	79	13107	4.05	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	81.00%
46) 2-Hexanone-d5	8.64	63	75599	46.06	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	92.12%
57) 1,1,2,2-Tetrachloroethane-	10.75	84	29272	4.27	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	85.40%
64) 1,2-Dichlorobenzene-d4	12.19	152	30769	5.15	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	103.00%

Target Compounds				Ovalue
13) Acetone	2.66	43	25456m	16.782 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU082120\
Data File : VU039938.D
Acq On : 21 Aug 2020 19:14
Operator : SY/MD
Sample : L3776-16
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 22 Sample Multiplier: 1




Instrument :
MSVOA_U
ClientSampleId :
F4Y15

Manual Integrations
APPROVED

sam
8/24/2020 5:55:28 PM

Quant Time: Aug 22 02:47:28 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR081920WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Aug 22 00:45:05 2020
Response via : Initial Calibration





#13

Acetone

Concen: 16.782 ug/L m

RT: 2.66 min Scan# 409

Delta R.T. -0.01 min

Lab File: VU039938.D

Acq: 21 Aug 2020 19:14

Tot Ion: 43 Resp: 25456

Ion Ratio Lower Upper

43 100

58 2.8 0.0 19.0

Instrument :

MSVOA_U

ClientSampleId :

F4Y15

Manual Integrations

APPROVED

sam

8/24/2020 5:55:28 PM

